
NIGERIA



**ESSENTIAL
MEDICINES
LIST**

6th Edition 2016



ESSENTIAL MEDICINES LIST

NIGERIA | 2016

PUBLISHED BY THE FEDERAL MINISTRY OF HEALTH ABUJA, NIGERIA
IN COLLABORATION WITH WORLD HEALTH ORGANIZATION
AND CLINTON HEALTH ACCESS INITIATIVE

© 2016 Federal Ministry of Health, Nigeria

All rights reserved. No part of this publication may be reproduced, stored in retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording and/or otherwise, without prior written permission of the Federal Ministry of Health, Nigeria.

ISBN: 978-978-958-741-4

For all enquiries or comments, write to the publishers:

The Honourable Minister,
Federal Ministry of Health,
Federal Secretariat Complex,
Shehu Shagari Way,
P.M.B.
Garki, Abuja,
Nigeria.

E-mail: ndfedl@gmail.com

Printed in Nigeria

FOREWORD

It is with great pleasure that I write the foreword of this sixth edition of the National Essential Medicines List EML recalling that the first edition was published in 1989 in accordance with provisions of the then Decree 43 of 1989.

Essential Medicines, the List and the operational Programme have played an important role in the supply of medicines in the pharmaceutical sector of the Health care delivery system of Nigeria. The provision of medicines across the three levels of the health care system can only be guaranteed by appropriate selection of medicines required by the population as dictated by the prevalent morbidity profile. The policy of this government is to ensure that essential medicines are available at all times to its people all over the country as it expands the primary care system to ensure access to healthcare.

I have been reliably informed of the intense deliberations based on evidence, state of the art and painstaking effort of the Expert Committee on Essential Medicines to address the various issues that accompany the revision of such List ensuring that only the appropriate medicines are selected during the exercise. The Committee has addressed Medicines for use in the Public Health Programmes as well as in other areas that have gained increasing attention in the health care system such as cancers, diseases of the elderly, endemic and emerging diseases. It is gratifying that due attention has been paid to children and women with consideration of medicines advised by the UN Commission on Life Saving Commodities (UNCLSC). I have also noted the commitment of the Committee towards inclusiveness, accommodating medicines for all levels of the healthcare system which would ensure full compliance in the use of the EML in the health sector. In effect, with a good stock management and an efficient referral system, problems regarding the supply of medicines and its availability are unlikely in our healthcare facilities.

I urge all the health care professionals to comply with the provision of the EML; prescribe, dispense and administer medicines rationally. I will like to assure doctors that the EML is a dynamic list and there is a statutory provision to make available medicines not listed but required in exceptional circumstances for treatment of patients.

I have also been informed of the superficial penetration of the EML concept amongst healthcare professionals and I intend through various organs of the Ministry of Health to further sensitize health personnel raising their awareness on the Essential Medicine Concept and List. Furthermore, the Ministry will ensure a wide and efficient distribution of the EML as well as an appropriate and effective monitoring and evaluation of its impact in the healthcare system. It is also pertinent to mention that the Expert Committee has also developed the second edition of the National Standard Treatment Guidelines to further improve the standard of care and in conformity with the paradigm shift in the development of the EML.

Lastly, I commend the Chairman, Members of the EML Committee, Personnel in the Ministry and other operators in the Public Health Programmes for their commitment in producing this edition of the EML. I also appreciate with thanks the continued support of the Nigerian Country Office of the World Health Organization, Clinton Health Access Initiative and Micronutrient International as well as other partners who have provided the much needed support in the production of this document.

Prof. Isaac F. Adewole, *FAS, FSPSP, FRCOG, DSc. (Hons.)*
Honourable Minister of Health
Federal Ministry of Health
Nigeria.
June, 2016

PREFACE


This is the sixth edition of the National Essential Medicines List coming six years after the last revision in 2010. The process adopted in this revision has largely followed the 2001 revised procedure for updating WHO's Model List of Essential Medicines. Essentially the procedure for production of this list followed the initial revision of the Standard Treatment Guidelines and extensive consultation with all stakeholders including the Public Health programmes. It is intended that prudent use of the medicines in the list will foster rational, safe and cost-effectiveness in the provision of health care.

In order to ensure more inclusiveness, comprehensiveness and use by all levels of the healthcare system, notice has been taken of a broadened scope of medicines for treatment of diseases at higher levels of care. In effect, the number of medicinal products and vaccines has increased but the restrictions in the use of medicines in the complementary section to specialists and/or programmes remain to ensure appropriate use at each level. It is the intention to make the list relevant to all health care providers and by observing the barriers set for each level the rational use of these medicines will be guaranteed. Another factor accounting for the relative increase and complexities is a more comprehensive inclusiveness of medicines used in the public health programmes, emerging diseases, rheumatology as well as in oncology. This is to satisfy the growing need for medicines in these areas which were not comprehensively addressed in the past and it is recommended that medicines in the complementary (restricted) section should be used prudently by specialists after appropriate evaluation of the patients.

The Committee made intense effort in the choice of appropriate medicines when the need arose using standard procedure however it accepts any lapses or errors and will be happy to get a feedback to rectify such issues. It should also be noted that the List is a dynamic one and does not require a new revision to accommodate pressing changes.

Healthcare Providers at all levels are advised to limit their choice of medicines to the list so as to realize the objectives set for its use. A statutory provision exists for use of medicines outside the list and should be sought to ensure that no patient is deprived of standard and expected care.

The Committee appreciates with gratitude the opportunity granted them to serve in this capacity and thank the Honourable Minister for his support. The contribution of the WHO, CHAI and in-house work by the directors, public health programme managers and other staff is duly acknowledged.



Professor Ambrose O. Isah

MBBS, FMCP, FWACP, FRCP (Edin.), MD (UK)
Chairman, National Formulary and Essential Drugs Review Committee

ACKNOWLEDGMENT

The sixth edition of the Essential Medicine List is a product of the support, recommendations and contributions of the following:

MEMBERS NDF/EML REVIEW COMMITTEE

1. PROF. A.O. ISAH – CHAIRMAN- UBTH, BENIN
2. PROF. J.O. OHAJU-OBODO – MEMBER – DELSUTH
3. PROF. E.O. OBIDIKE – MEMBER – UNTH, ENUGU
4. PHARM. (MRS.) G.M.O. CHUKWUMAH – MEMBER- DIRECTOR, FDS - FMOH
5. DR. O. AKORIA – MEMBER – UBTH, BENIN
6. DR. O.R. OBIAKO – MEMBER – ABUTH SHIKA, ZARIA
7. PHARM. (MRS.) M. ADEJUMO – MEMBER- DPS SMOH LAGOS
8. PHARM. (MRS.) HAUWA KULU – MEMBER – DPS FCT
9. DR. K. J. OKORO – MEMBER – NMA REP/FTH ABAKALIKI
10. PHARM. STEPHEN JASINI – MEMBER- DPS SMOH MAIDUGURI
11. PHARM. UREH C. PETERS – MEMBER – DPS SMOH PORT HARCOURT
12. PHARM. UZUEGBU M.C – MEMBER- DPS SMOH UMUAHIA
13. PHARM. H. WAKILI – MEMBER – SMOH LAFIA
14. PHARM. U.G. OKAFOR – MEMBER – PCN REP. LAGOS
15. Dr. D. OQUA – MEMBER – PSN REP. ABUJA
16. PHARM. ADENIKA P.K – MEMBER – PMG-MAN REP. LAGOS
17. PHARM. ALI IBRAHIM – MEMBER – NAFDAC ABUJA
18. DR. P. OSINUBI – MEMBER – DIRECTOR, HOSPITAL SERVICES- FMOH
19. DR. B. OKOEGUALE – MEMBER- DIRECTOR, PUBLIC HEALTH – FMOH
20. HRH (DR.) I.I. OKOLIGWE – MEMBER – HOLY ROSARY HOSPITAL OWERRI
21. PHARM. ISAH MOHD GUSAU – MEMBER – SMOH GUSAU
22. PHARM. (MRS.) A.O. AKINBISEHIN – SECRETARY – DIRECTOR, PHARM. SERVICES/NDP -FMOH

EDITORIAL COMMITTEE

1. PROF RAY I. OZOLUA – UNIVERSITY OF BENIN, BENIN CITY
2. PROF SIMEON ISEZUO – USMAN DAN FODIO UNIVERSITY, SOKOTO
3. DR STEPHEN AYINBUOMWAN – UNIVERSITY OF BENIN, BENIN CITY
4. DR JOSEPH OVOSI – KADUNA STATE UNIVERSITY, KADUNA

IN ATTENDANCE

LIST OF CONTRIBUTORS FROM FEDERAL MINISTRY OF HEALTH (FMOH)

1. DR. P. OSINUBI – DIRECTOR, HOSPITAL SERVICES DEPARTMENT
2. DR. B. OKOGUALE – DIRECTOR, PUBLIC HEALTH DEPARTMENT
3. PHARM. (MRS) A.O. AKINBISEHIN – DIRECTOR, PHARM. SERVICES DIVISION – FDS
4. PHARM. T. TITUS – DEPUTY DIRECTOR, DRUG & VACCINE DEVELOPMENT
5. PHARM.(MRS) COMFORT KUNAK OGAR – CHIEF REGULATORY OFFICER – NAFDAC ABUJA

DESK OFFICERS

1. PHARM. B.O. OKOLOGO – DEPUTY DIRECTOR, PHARM. SERVICES DIVISION – FDS
2. PHARM Y. BULAMA – CHIEF PHARMACIST, PHARM. SERVICES DIVISION – FDS

WORLD HEALTH ORGANIZATION

1. DR RUI GAMA VAZ
2. DR A. MBEWE
3. DR S. FEREDE

CLINTON HEALTH ACCESS INITIATIVE

1. DR W. OWENS
2. DR A. ABDULWAHAB
3. DR E. OKENA



Pharm. Mrs. Gloria Modupe Omatie Chukwumah

Director, Food and Drugs Service Department

Federal Ministry of Health.

June 2016.

TABLE OF CONTENTS

FORWARDiv

PREFACEvi

NATIONAL DRUG FORMULARY AND ESSENTIAL DRUGS LIST REVIEW COMMITTEEiii

1. ANAESTHETICS 1

 1.1 General anaesthetics and oxygen 1

 1.2 Local anaesthetics 1

 1.3 Premedication medicines and anaesthetic adjuvants 1

 1.4 Skeletal muscle relaxants and cholinesterase inhibitors 1

2. ANALGESICS, ANTIPYRETICS AND NON-STEROIDAL ANTI-INFLAMMATORY
MEDICINES 1

 2.1 Narcotic analgesics 1

 2.2 Narcotic antagonist /medicines for treatment of opioid dependence*** 2

 2.3 Non-narcotic analgesics and antipyretics 2

 2.4 Non-steroidal anti-inflammatory medicines and medicines used for gout/rheumatoid medicines 2

3. ANTICONVULSANTS (ANTI-EPILEPTICS)..... 2

4. ANTIDOTES 2

 4.1 Non-specific (general) antidote 2

 4.2 Specific antidotes 2

5. ANTI-INFECTIVE MEDICINES 3

 5.1 Amoebicide 3

 5.2 Anthelmintics 3

 5.2.1 Intestinal anthelmintics 3

 5.2.2 Antifilarials 3

 5.2.3 Antischistosomal and other antitrematode medicines 3

 5.3 Antibacterial medicines 3

 5.4 Antifilarial medicines 4

 5.5 Antiflagellate medicines 4

 5.6 Antileprosy medicines 4

 5.7 Antimalarial medicines 4

 5.7.1 Treatment 4

 5.7.2 Prophylaxis 5

 5.8 Antischistosomal medicines 5

5.9	Antitrypanosomal and antileishmaniasis Medicines	5
5.10	Antituberculosis medicines	5
5.11	Antiviral medicines	5
5.11.1	Antiretroviral (ARV) medicines	5
5.12	Systemic antifungal medicines.....	6
6.	ANTIMIGRAINE MEDICINES.....	6
7.	ANTINEOPLASTIC AND IMMUNOSUPPRESSIVE MEDICINES	6
8.	ANTISEPTICS AND DISINFECTANTS	7
9.	BLOOD PRODUCTS AND PLASMA SUBSTITUTE	8
9.1	Plasma fraction for specific use.....	8
9.2	Plasma substitutes.....	8
10.	CARDIOVASCULAR MEDICINES	8
10.1	Anti-anginal medicines.....	8
10.2	Anti-arrhythmic medicines.....	8
10.3	Antihypertensive medicines	8
10.4	Medicines used in heart failure	8
11.	DENTAL MEDICINES	9
11.1	Anti-inflammatory dental medicines	9
11.2	Local anaesthetic	9
11.3	Mouthwashes	9
12.	DERMATOLOGICAL MEDICINES	9
12.1	Anti-acne medicines.....	9
12.2	Antifungal medicines.....	9
12.3	Anti-infective medicines	9
12.4	Anti-inflammatory and antipruritic medicines	9
12.5	Astringent medicines.....	10
12.6	Keratolytic and keratoplastic medicines.....	10
12.7	Psoriasis and vitiligo medicines (See Restricted List)	10
12.8	Scabicides and pediculicides	10
13.	DIALYSIS SOLUTION	10
14.	DIURETICS	10
15.	MEDICINES ACTING ON RESPIRATORY TRACT	10
15.1	Antiasthmatics and medicines for chronic obstructive pulmonary disease	10
15.2	Antitussive.....	10

16. MEDICINES AFFECTING THE BLOOD	11
16.1 Anti-anaemia medicines.....	11
16.2 Anticoagulants and antiplatelets	11
16.3 Antifibrinolytic and haemostatic drug	11
16.4 Fibrinolytics	11
17. MEDICINES FOR PARKINSONISM AND OTHER NEUROLOGICAL DISORDERS	11
17.1 Antiparkinsonism medicines	11
17.2 Medicines for myasthenia gravis.....	11
18. MEDICINES USED IN ANAPHYLAXIS	11
18.1 Anti-anaphylactics	11
18.2 Antihistamines.....	11
19. EAR, NOSE AND THROAT MEDICINES	12
19.1 Ear medicines	12
19.1.2 Anti-inflammatory medicines	12
19.1.3 Combined anti-infective and anti-inflammatory medicines	12
19.1.4 Removal of ear wax.....	12
19.2.1 Anti-allergic and nasal decongestants.....	12
20. GASTRO-INTESTINAL MEDICINES	12
20.1 Antacid medicines.....	12
20.2 Anti-emetic medicines.....	12
20.3 Anti-haemorrhoidal medicines	13
20.4 Antispasmodic medicines and smooth muscle relaxants	13
20.5 Laxatives	13
20.6 Medicines used in diarrhoea.....	13
20.6.1 Oral rehydration therapy.....	13
20.6.2 Medicines for diarrhoea in children.....	13
20.6.3 Medicines for diarrhoea in adults.....	13
20.7 Helicobacter pylori eradication.....	13
20.7.1 Acid suppressants	13
20.7.2 Anti-infectives	14
21. ENDOCRINE MEDICINES	14
21.1 Adrenal hormones and synthetic substitutes	14

21.2	Antidiabetic medicines	14
21.2.1	Insulins (human)	14
21.2.2	Oral antidiabetic medicines	14
21.3	Contraceptives	14
21.3.1	Implantable contraceptives	14
21.3.2	Injectable hormonal contraceptives	14
21.3.3	Intrauterine devices	14
21.3.4	Oral hormonal contraceptives	14
21.3.5	Emergency Contraceptives	14
21.4	Androgens (See Restricted List)	14
21.5	Estrogens	14
21.7.1	Antithyroid medicines	15
21.7.2	Thyroid hormone	15
22.	IMMUNOLOGICALS	15
22.1	Sera and immunoglobulins	15
22.2.1	Vaccines for specific immunization	15
22.2.2	Vaccines for universal immunization	15
23.	IN VIVO DIAGNOSTIC AGENTS	16
23.1	Endocrine disorders (See Restricted List)	16
23.2	Gastric function (See Restricted List)	16
23.3	Myasthenia gravis (See Restricted List)	16
23.4	Ophthalmic medicines	16
23.5	Radiocontrast media	16
23.5.1	Alimentary tract	16
24.	OPHTHALMOLOGICAL MEDICINES	16
24.1	Anti-infective medicines	16
24.2	Anti-inflammatory and anti-allergic medicines	16
24.3	Local anaesthetics	16
24.4	Miotics and antiglaucoma medicines	16
24.4.1	Systemic medicines	16
24.4.2	Topical medicines	16
24.5	Mydriatic medicines	16

24.6	Diagnostic eye medicines	17
24.7	Miscellaneous eye preparation	17
25.	OXYTOCICS AND TOCOLYTICS	17
26.	PREPARATIONS FOR CORRECTING WATER ELECTROLYTE AND ACID -BASE DISTURBANCES.....	17
26.1	Oral preparations	17
26.2	Parenteral preparations	17
26.3	Miscellaneous	17
27.	PSYCHOTHERAPEUTIC MEDICINES	17
27.1	Antidotes to antipsychotic medicines.....	17
27.2	Medicines used in generalized anxiety	17
27.3	Medicines used in mood disorders	18
27.3.1	Medicines used in depressive disorders.....	18
27.3.2	Medicines used in bipolar disorders	18
27.4	Medicines used for obsessive compulsive disorders and panic attacks	18
27.5	Medicines used in psychotic disorders	18
27.6	Medicines used in substance dependence programmes (See Restricted List).....	18
28.	VITAMINS AND MINERALS	18
28.1	Vitamins	18
28.2	Minerals.....	18
29.0	FOR MANAGEMENT OF INCOMPLETE ABORTION AND MISCARRIAGE (See Restricted List).....	18
30.0	URINARY AND ERECTILE DYSFUNCTION (See Restricted List)	18
	THE PRIMARY HEALTH CARE LIST: (HEALTH CENTRES)	19
	THE PRIMARY HEALTH CARE LIST: (PRIMARY HEALTH CLINICS)	23
	THE PRIMARY HEALTH CARE LIST: (HEALTH POSTS)	26
	LIST OF PRODUCTS TO BE STOCKED AND SOLD BY PATENT MEDICINE VENDOR.....	27
	APPENDIX 1: APPROVED DOSES FOR VITAMINS	29
	APPENDIX 2: RESTRICTED MEDICINES LIST.....	30
	INDEX.....	33

1. ANAESTHETICS	
1.1 General anaesthetics and oxygen	
Halothane	Inhalation: Liquid, 250-mL bottle
Isoflurane	Inhalation: Liquid, 250-mL bottle
Ketamine	Injection: (hydrochloride), 10 mg Halothane mL in 20-mL vial, 50 mg/mL in 10-mL vial, 100 mg/mL in 5-mL vial
Propofol	Injection: (emulsion), 10 mg/ mL in 20 mL ampoule
Nitrous oxide	Inhalation: Medicinal gas
Oxygen	Inhalation: Medicinal gas
1.2 Local anaesthetics	
Bupivacaine	Injection: (hydrochloride), 0.25%, 0.5% With epinephrine (adrenaline) 1:200,000 in 10-mL ampoule. Hyperbaric formulation: (hydrochloride), 0.5% in 4-mL ampoule to be mixed with 7.5% glucose solution
Lidocaine	Cream or ointment: 2 - 5% Dental cartridges: 2% + epinephrine (adrenaline) 1:80,000 Injection: (hydrochloride) 1%, 2%, vial Gel or solution: 2 - 4% Injection: 1%, 2% + epinephrine (adrenaline) 1:200,000, vial Spray (aerosol): 10%
1.3 Premedication medicines and anaesthetic adjuvants	
Atropine	Injection: (sulfate), 500 micrograms mg, 1 mg in 1-mL ampoule
Diazepam	Injection: 5 mg/mL in 2-mL ampoule
Midazolam	Injection: (hydrochloride), 1 mg/ mL in 1-mL, 2-mL and 5-mL ampoule; 2 mg/mL in 2-mL and 5-mL ampoule. Oral Liquid: 2.5 mg/mL
Morphine	Injection: (sulfate or hydrochloride), 10 mg, 15 mg in 1-mL ampoule Injection: (preservative-free), 0.5 mg/mL, 1 mg/mL in 10-mL vials
Promethazine	Oral liquid: for children (hydrochloride), 5 mg/5 mL
1.4 Skeletal muscle relaxants and cholinesterase inhibitors	
Atracurium	Injection: 10 mg/mL
Neostigmine	Injection: (methylsulfate), 2.5 mg/mL in 1 mL ampoule
Pancuronium	Injection: (bromide), 2 mg / mL
Suxamethonium	Injection: (chloride), 50 mg/mL in 2-mL ampoule Injection: powder (chloride), vial

** Marked for deletion

2. ANALGESICS, ANTIPYRETICS AND NON-STEROIDAL ANTI-INFLAMMATORY MEDICINES	
2.1 Narcotic analgesics	
Dihydrocodeine**	Injection: 50 mg/mL in 1-mL ampoule Tablet: (tartrate), 30 mg
Fentanyl	Injection: (citrate), 25 micrograms/mL; 50 micrograms/mL in 1-mL, 2-mL and 10-mL ampoules Injection: (citrate, preservative-free), 50 micrograms/mL in 1-mL, 2-mL and 10-mL ampoules

Morphine	Injection: (sulfate or hydrochloride), 10 mg, 15 mg in 1-mL ampoule Tablet: 10 mg, modified release, 30, 60 mg
Pentazocine	Injection: (lactate), 30 mg in 1-mL ampoule
Pethidine	Injection: (hydrochloride), 50 mg/mL in 1-mL and 2-mL ampoule
Tramadol	Capsule: (hydrochloride), 50 mg, 100 mg, Injection: (hydrochloride), 50 mg/mL in 1-mL and 2-mL ampoule, 100 mg/2 mL in 2-mL ampoule

2.2 Narcotic antagonist /medicines for treatment of opioid dependence***

Naloxone	Injection: (hydrochloride) 0.4 mg in 1-mL ampoule
----------	--

2.3 Non-narcotic analgesics and antipyretics

Acetylsalicylic acid	Capsule/Tablet: 300 mg
Paracetamol	Injection: 150 mg/mL Oral liquid: 125 mg/5 mL Suppository: 100 mg Tablet: 125 mg, 500 mg

2.4 Non-steroidal anti-inflammatory medicines and medicines used for gout/rheumatoid medicines

Allopurinol	Tablet: 100 mg
Diclofenac	Gel: 1% Injection: 25 mg/mL ampoule Tablet: 25 mg, 100 mg
Ibuprofen	Capsule/tablet: 200 mg and 400 mg
Ketoprofen	Gel: 2.5%
Naproxen	Tablet: 250 mg

** Marked for deletion

*** See 27.6 of Restricted List

3. ANTICONVULSANTS (ANTI-EPILEPTICS)

Carbamazepine	Tablet: 100 mg, 200 mg
Clonazepam	Injection: 1 mg/mL ampoule for dilution Oral liquid: 500 micrograms/5 mL Tablet: 500 micrograms
Diazepam	Injection: 5 mg/mL in 2-mL ampoule
Ethosuximide	Capsule/tablet: 250 mg Oral liquid: 250 mg/5 mL
Magnesium sulphate	Injection: 50% in 2-mL ampoule; 20% as 5 or 10-ml ampoule
Phenobarbital	Oral liquid: 15 mg/5 mL Tablet: 15 mg, 30 mg, 60 mg
Phenytoin sodium	Capsule/tablet: 25 mg, 50 mg, 100 mg
Pregabalin	Capsules: 25 mg, 50 mg, 75mg, 150 mg, 300 mg
Sodium valproate	Oral liquid: 200 mg/ 5 mL Tablet: (enteric-coated), 100 mg, 200 mg, 500 mg

4. ANTIDOTES**4.1 Non-specific (general) antidote**

Charcoal, activated	Tablet: 1 g Powder/granules: 5 g sachet
---------------------	--

4.2 Specific antidotes

Atropine	Injection: (sulfate), 1 mg in 1-mL ampoule
Desferoxamine	Injection: (mesylate), 500 mg, vial

Dimercaprol	Injection: 50 mg/mL in 2-mL ampoule
Flumazenil	Injection: 100 micrograms/mL in 5-mL ampoule
Methionine	Tablet: 250 mg
Methylthioninium chloride (methylene blue)	Injection: 10 mg/mL in 10-mL ampoule
Naloxone	Injection: (sulfate), 1 mg in 1-mL ampoule Injection: (hydrochloride), 0.4 mg in 1-mL ampoule
N-Acetylcysteine	Injection: 200 mg/mL in 10-mL ampoule Oral liquid: 10%, 20%
Phytomenadione (vitamin K ₁)	Injection: 10 mg / mL in 1-mL ampoule
Potassium ferric Hexacyanoferrate (II) (Prussian blue)	Powder for oral administration
Protamine sulfate	Injection: 10 mg / mL in 5-mL ampoule
Sodium calcium edetate	Injection: 200 mg / mL in 5-mL ampoule
Sodium nitrite	Injection: 30 mg / mL in 10-mL vial
Sodium thiosulfate	Injection: 500 mg / mL

5. ANTI-INFECTIVE MEDICINES	
5.1 Amoebicide	
Metronidazole	Oral liquid: 200 mg/5 mL Tablet: 200 mg, 400 mg
Tinidazole	Tablet: 500 mg
5.2 Anthelmintics	
5.2.1 Intestinal anthelmintics	
Albendazole	Oral liquid: 100 mg/5 mL Tablet: 200 mg
Mebendazole	Oral liquid: 100 mg/5 mL Tablet: 100 mg, 500 mg
Praziquantel	Tablet: 600 mg
5.2.2 Antifilarials	
Ivermectin	Tablet: 3 mg, 6 mg
5.2.3 Antischistosomal and other antitrepatode medicines	
Praziquantel	Tablet: 600 mg
5.3 Antibacterial medicines	
Amoxicillin	Capsule: (trihydrate), 250 mg; 500 mg Dispersible tablet: 125 mg and 250 mg Injection: (sodium salt), 250 mg, 500 mg, vial Powder for oral liquid: (trihydrate), 125 mg/5 mL
Amoxicillin + clavulanic acid	Capsule/tablet: amoxicillin (trihydrate), 250 mg + clavulanic acid (potassium salt), 125 mg Injection powder: amoxicillin (trihydrate), 500 mg + clavulanic acid (potassium salt), 100 mg, vial; amoxicillin (trihydrate) 1 g + clavulanic acid 200 mg, vial. Powder for oral liquid: amoxicillin (trihydrate), 125 mg + clavulanic acid (potassium salt) 31.25 mg
Ampicillin + cloxacillin**	Capsule: 250 mg of each Injection powder: (sodium salt), 250 mg of each, vial Neonatal drops: ampicillin 60 mg + cloxacillin 30 mg/ 0.6 mL Neonatal injection: ampicillin 50 mg + cloxacillin 25 mg, vial Powder for oral liquid: 125 mg of each/ 5mL

Azithromycin	Capsule: 250 mg, 500 mg Oral liquid: 200 mg/5 mL
Benzathine benzylpenicillin	Injection powder: equivalent to 720 mg (1.2 million units) 1.44 g (2.4 million units) of benzylpenicillin, vial
Benzylpenicillin	Injection powder: (sodium or potassium salt), 600 mg (1 million units), 3.0 g (5million units), vial
Ceftriaxone	Injection powder: 250 mg, 500 mg, 1 g, vial
Cefuroxime	Oral liquid: (axetil), 125 mg / 5 mL Injection: (sodium salt), 250 mg, 750 mg, vial Tablet: (axetil), 125 mg, 250 mg, 500 mg
Ciprofloxacin*	Injection: (lactate) 2 mg / mL in 50-mL,100-mL bottle Tablet: (hydrochloride), 250 mg, 500 mg
Clarithromycin	Suspension: 250 mg/5 mL Tablet: 250 mg, 500 mg
Clindamycin	Capsule: (hydrochloride), 150 mg Injection: (phosphate), 150 mg/mL
Cloxacillin	Capsule: 250 mg Injection powder: 250 mg, 500 mg , vial Powder for oral liquid: 125 mg/5 mL
Co-trimoxazole	Oral liquid: sulfamethoxazole 200 mg + trimethoprim 40 mg/5 mL Tablet: sulfamethoxazole 400 mg+ trimethoprim 80 mg Capsule: (hydrochloride), 100 mg
Doxycycline	
Erythromycin	Capsule/tablet, enteric/film-coated: (stearate or ethylsuccinate), 250 mg, 500 mg Injection powder: (lactobionate), 500 mg , vial Oral liquid: (stearate or ethylsuccinate), 125 mg/5 mL
Flucloxacillin	Capsule: 250 mg, 500 mg Powder for oral liquid: 125 mg/5 mL
Gentamicin	Injection: (Sulphate), 40mg/ml in 2ml ampoule
Levofloxacin*	Injection: 5 mg/mL in 100-mL bottle Tablet: 250 mg, 500 mg, 750 mg
Metronidazole	Injection: 500 mg in 100-mL bottle
Nitrofurantoin	Tablet: 50 mg, 100 mg
Phenoxymethylpenicillin	Tablet: (potassium salt), 250 mg
Tetracycline	Capsule: tablet, (hydrochloride), 250 mg Injection powder: 100 mg, 250 mg, vial Eye ointment
Vancomycin	Capsule: 250 mg, 500 mg Injection powder: (hydrochloride), 1 g, 5 g, 10 g vials
5.4 Antifilarial medicines	
Diethylcarbamazine**	Tablet: 50 mg
Ivermectin	Tablet: 3 mg
5.5 Antiflagellate medicines	
Metronidazole	Oral liquid: 200 mg /5 mL Tablet: 200 mg
Tinidazole	Tablet: 500 mg
5.6 Antileprosy medicines	
Clofazimine	Tablet: 50 mg, 100 mg
Dapsone	Tablet: 50 mg, 100 mg
Rifampicin	Capsule/tablet: 150 mg, 300 mg
5.7 Antimalarial medicines	
5.7.1 Treatment	
Artemether	Injection: 80 mg /mL in 1-mL ampoule

Artesunate	Injection: 60 mg / mL (powder for injection) in vial plus 1 mL of 5% sodium bicarbonate as solvent
Artesunate + amodiaquine	Oral liquid: 15 mg + 90 mg in 5 mL Tablet: 25 mg + 67.5 mg, 50 mg+ 135 mg, 100 mg + 270 mg
Artemether + lumefantrine	Tablet: 20 mg + 120 mg
Proguanil	Tablet: (hydrochloride), 100 mg
Pyrimethamine + sulfadoxine	Tablet: 25 mg + 500 mg
Quinine	Injection: (dihydrochloride), 300 mg/mL in 2-mL ampoule
5.7.2 Prophylaxis	
Atovaquone +proguanil	Tablet: 20 mg + 120 mg
Hydroxychloroquine **	Tablet: 200 mg
Proguanil	Tablet: (hydrochloride), 100 mg
Mefloquine	Tablet: (hydrochloride), 250 mg
Pyrimethamine + sulfadoxine	Tablet: 25 mg + 500 mg
5.8 Antischistosomal medicines	
Praziquantel	Tablet: 600 mg
5.9 Antitrypanosomal and antileishmaniasis Medicines	
Eflornithine	Injection: (hydrochloride), 200 mg/ml in 100-ml bottle
Meglumine antimonate	Injection: 30%, equivalent to 8.5%antimony in 5mL ampoule
Melarsoprol	Injection: 3.6% solution, in 5-mL ampoule
Nifortimox	Tablet: 30 mg, 120 mg, 250 mg
Pentamidine	Injection powder: (isetionate), 300 mg, vial
Sodium stibogluconate	Injection: containing 10% antimony
Suramin	Injection: 1 g, vial
5.10 Antituberculosis medicines	
Ethambutol	Tablet: (hydrochloride), 100 – 500 mg
Isoniazid	Tablet: 100 – 300 mg
Pyrazinamide	Tablet: 400 mg
Rifabutin	Capsule: 150 mg
Rifampicin	Capsule/tablet: 150 mg, 300 mg
Rifampicin + Isoniazid	Tablet: rifampicin 150 mg + isoniazid 100 mg; Rifampicin 300mg + isoniazid 150 mg
5.11 Antiviral medicines	
Aciclovir	Injection powder: (sodium salt), 250 mg, vial Oral liquid: 200 mg/5 mL Tablet: 200 mg, 400 mg
Idoxuridine	Cream: 5% Solution: 5% in dimethylsulphoxide (for external application)
5.11.1 Antiretroviral (ARV) medicines	
5.11.1.1 Non-nucleoside reverse transcriptase inhibitors	
Nevirapine (NVP)	Oral liquid: 50 mg/mL Tablet: 200 mg
Efavirenz (EFV or EFZ)	Capsule: 50 mg, 100 mg, 200 mg Oral liquid: 150 mg/5 mL Tablet: 600 mg
5.11.1.2 Nucleoside/nucleotide reverse transcriptase inhibitors	
Abacavir (ABC)	Oral liquid: (sulfate), 100 mg/5 mL Tablet: (sulfate), 300 mg

Didanosine (ddl)	Buffered powder for oral liquid: 100 mg, 167 mg, 250 mg packets Capsule: (unbuffered enteric-coated), 125 mg, 200 mg, 250 mg, 400 mg Tablet: (buffered chewable, dispersible), 25 mg, 50 mg, 100 mg, 150 mg, 200 mg
Lamivudine (3TC)	Solution: 5 mg/mL Tablet: 150 mg
Zidovudine (ZDV)	Capsule: 100 mg, 250 mg Oral liquid: 50 mg/mL
5.11.1.3 Protease inhibitors	
Indinavir (IDV)	Capsule: (sulfate), 200 mg, 400 mg
Lopinavir + ritonavir (LPV/r)	Capsule: 133.3 mg + 33.3 mg Oral liquid: 400 mg + 100 mg / 5 mL Tablet: (heat stable)100 mg + 25 mg; 200 mg + 50 mg
5.11.1.4 Fixed-dose combinations	
Lamivudine + nevirapine + stavudine	Tablet: 150 mg + 200 mg + 30 mg Tablet: (dispersible), 30 mg + 50 mg + 6 mg, 60 mg + 100 mg + 12 mg
Lamivudine + nevirapine+ zidovudine	Tablet: 30 mg + 50 mg + 60 mg,150 mg + 200 mg + 300 mg
Lamivudine + zidovudine	Tablet: 30 mg + 60 mg, 150 mg + 300 mg
5.12 Systemic antifungal medicines	
Amphotericin B	Injection powder: (deoxycholate), 50-mg vial
Fluconazole	Capsule: 50 mg, 150 mg Injection: 2 mg/mL in 0.9% sodium chloride
Miconazole	Cream: (nitrate), 2% Lotion: (nitrate), 2% Pessary: (nitrate), 200 mg, 400 mg Powder: (nitrate), 2% Tablet: 250 mg
Nystatin	Lozenges: 100,000 units/mL Oral liquid: 100,000 units/mL Pessary: 100,000 units Tablet: 500,000 units

* Not recommended for children and growing adolescents

** Marked for deletion

6. ANTIMIGRAINE MEDICINES

Ergotamine	Tablet: (tartrate), 2 mg
Propranolol*	Tablet: (hydrochloride), 40 mg, 80 mg
Sumatriptan	Tablet: 50 mg, 100 mg

* For prophylaxis

7. ANTINEOPLASTIC AND IMMUNOSUPPRESSIVE MEDICINES

Actinomycin-D	Injection powder: 0.5 mg in vial
Asparaginase	Injection powder: 10 000 IU in vial
Azathioprine	Injection powder: (sodium salt), 50 mg, vial Tablet: 50 mg
Bleomycin	Injection powder: (sulfate), 15,000 units, vial
Busulfan (busulphan)	Tablet: 2 mg
Carboplastin	Injection: 10 mg/mL in 5-mL vial
Chlorambucil	Tablet: 2 mg, 5 mg
Ciclosporin (cyclosporin)	Oral liquid: 100 mg/mL Injection: 50 mg/mL ampoule
Cisplatin	Injection powder: 10 mg, 50 mg, vial

Cyclophosphamide	Injection powder: 100 mg, 500 mg, 1 g, vial Tablet: 25 mg, 50 mg
Cytarabine	Injection powder: 100 mg, vial
Dacarbazine (DTIC)	Injection powder: (citrate) 100 mg, 200 mg, 500 mg, vial
Daunorubicin	Injection powder: (hydrochloride) 50 mg, vial
Dexamethasone	Injection: (sodium phosphate), 4 mg/mL ampoule Tablet: 500 micrograms, 4 mg
Doxorubicin	Injection powder: (hydrochloride), 10 mg, 50 mg vial
Epirubicin	Injection: (hydrochloride), 2 mg/mL in 5-mL vial Injection powder: (hydrochloride) 50 mg powder in vial
Etoposide(VP-16)	Capsule: 100 mg Injection: 100 mg /5 mL vial
Erythropoietin	Injection: 4000 IU/ 0.4 mL, 6000 IU, 10 000 IU, in 1-mL vials
Fludarabine	Injection powder: (phosphate), 50 mg vial Tablet: (phosphate), 10 mg
Fluorouracil	Injection: (sodium salt), 50 mg/mL in 5-mL vial
Hydroxyurea	Capsule: 100 mg, 250 mg, 500 mg
Ifosfamide	Injection powder: 1 g, 2 g vial
Imatinib	Tablet: (mesylate) 100 mg, 400 mg
Melphalan	Tablet: 2 mg Injection: (hydrochloride), 50 mg vial
6-Mercaptopurine	Tablet: 50 mg
Mesna	Tablet: 400 mg, 600 mg Injection: 100 mg/mL in 10-mL ampoule
Methotrexate	Injection powder: (sodium salt), 50 mg, vial Tablet: (sodium salt), 2.5 mg
Mitoxantrone	Concentrate for intravenous infusion: 2 mg/mL in 10-mL vial
Ondansetron	Injection: 2 mg/mL in 4-mL ampoule Tablet: 8 mg
Paclitaxel	Injection: 100 mg/16.67 mL vial
Prednisolone	Injection: (sodium phosphate or sodium succinate), 20 mg / mL, 25 mg/mL, vial Tablet: 5 mg
Procarbazine	Capsule: (hydrochloride), 50 mg
Stilboestrol	Tablet: 1 mg, 5 mg, 25 mg
Tamoxifen	Tablet: (citrate), 10 mg, 20 mg
6-thioguanine	Tablet: 40 mg
Vinblastine	Injection: 1 mg/ mL in 10 mL vial
Vincristine	Injection powder: (sulfate), 1 mg, 2 mg, 5 mg vial

8. ANTISEPTICS AND DISINFECTANTS

Benzoin	Compound tincture of benzoin
Cetrimide + chlorhexidine	Solution: cetrimide 15% + chlorhexidine (gluconate)1.5%, for dilution
Chlorhexidine	Gel: 4% in 25g (umbilical cord care) Solution: (gluconate), 5% for dilution
Dichloroxylenol + chlorophenol	Soap, solution
Formaldehyde	Solution: 1.5 – 1M%
Glutaraldehyde	Solution: 2% (in buffered base)
Iodine	Weak solution of iodine: 1%
Methylated spirit	Solution
Potassium permanganate	Solution: 0.1%
Povidone iodine	Solution: 10%
Sodium hypochlorite	Solution: different preparations with available chlorine from 1 - 10%
Trichlorophenol	Cream, liquid, ointment, mixture of halogenated phenols and salicylic acid

Eusol	Solution: chlorinated lime 1.25% plus boric acid 1.25%, freshly prepared
-------	---

9. BLOOD PRODUCTS AND PLASMA SUBSTITUTE

9.1 Plasma fraction for specific use

Human albumin	Injection: 20% solution
---------------	--------------------------------

9.2 Plasma substitutes

Dextran 70	Intravenous infusion: 6% in sodium chloride Intravenous infusion: 7.5%, 500mL
Polygeline	Injection: 3.5% solution, 500 mL

10. CARDIOVASCULAR MEDICINES

10.1 Anti-anginal medicines

Atenolol	Injection: 500 micrograms/mL, ampoule Tablet: 25 mg, 50 mg, 100 mg
Diltiazem	Tablet: (hydrochloride), 60 mg, 90 mg, 120 mg, 180 mg
Glyceryl trinitrate	Tablet: sublingual, 500 micrograms
Isosorbide dinitrate	Tablet: sublingual, 5 mg Tablet: oral 10 mg

10.2. Anti-arrhythmic medicines

Amiodarone	Tablet: (hydrochloride), 100 mg, 200 mg
Diltiazem	Injection: (hydrochloride), 100 mg/mL in 10 mL- ampoule Tablet: (hydrochloride), 60 mg, 90 mg, 120 mg, 180 mg
Lidocaine	Injection: (hydrochloride), 20 mg/mL in 5 mL- ampoule
Procainamide	Tablet: (hydrochloride), 250 mg
Propranolol	Injection: (hydrochloride), 1 mg/mL, ampoule Tablet: (hydrochloride), 10 mg, 40 mg
Verapamil	Tablet: 40 mg, 80 mg, 120 mg

10.3 Antihypertensive medicines

Amiloride + hydrochlorothiazide	Tablet: 2.5 mg + 25 mg
Amlodipine	Tablet: (besylate), 5 mg, 10 mg
Atenolol	Tablet: 25 mg, 50 mg, 100 mg
Bendrofluazide	Tablet: 2.5 mg, 5 mg
Captopril	Tablet: 12.5 mg, 25 mg, 50 mg
Hydralazine	Injection powder: (hydrochloride), 20 mg, Ampoule
Labetalol	Injection powder: 5 mg/mL in 20 mL-ampoule Tablet: (hydrochloride), 100 mg, 200 mg
Lisinopril	Tablet: 5 mg, 10 mg
Losartan	Tablet: 25 mg, 50 mg
Methyldopa	Tablet: 250 mg, 500 mg
Nifedipine	Tablet: (slow release), 20 mg
Nimodipine	Tablet: 30 mg
Propranolol	Tablet: (hydrochloride), 40 mg, 80 mg
Reserpine + dihydroergocristine + clopamide	Tablet: 100 micrograms + 500 micrograms + 5 mg
Valsartan	Tablet: 40 mg, 80 mg, 160 mg

10.4 Medicines used in heart failure

Captopril	Tablet: 12.5 mg, 25 mg
Digoxin	Injection: 100 micrograms/mL in 1-mL, ampoule 250 Oral liquid: 50 micrograms/mL Tablet: 62.5 micrograms, 125 micrograms, 250

	micrograms/mL in 2-mL, ampoule
Furosemide	Injection: 10 mg/2 mL in 2-mL ampoule Tablet: 40 mg
Metoprolol	Tablet: 25 mg (Metoprolol succinate 23.75 mg equiv. to Metoprolol tartrate 25 mg; extended release tablet), 50 mg (Metoprolol succinate 47.5 mg equiv. to metoprolol tartrate 50mg extended release tablet)

11. DENTAL MEDICINES	
11.1 Anti-inflammatory dental medicines	
Triamcinolone	Paste: (acetonide), 0.1%
11.2. Local anaesthetic	
Lidocaine	Cream: 5% Injection: anhydrous lidocaine (hydrochloride), 2% with epinephrine (adrenaline) 1 in 80,000 in dental cartridge Spray: 0.2%
11.3 Mouthwashes	
Hexetidine	Solution: 0.1%
Nystatin	Solution: 100,000 units/mL
Zinc chloride + zinc sulfate	Compound mouthwash: containing zinc chloride 1% + zinc sulfate 2%

12. DERMATOLOGICAL MEDICINES	
12.1 Anti-acne medicines	
Benzoyl peroxide	Cream: 2.5%, 5%, 10% Gel: 2.5%, 5%, 10%
12.2 Antifungal medicines	
Benzoic acid + salicylic acid	Cream/ointment: containing benzoic acid, 6% and salicylic acid, 3%
Clotrimazole	Cream/ointment: 1% Dusting powder: 1% Pessaries: 100 mg, 200 mg
Miconazole	Cream: (nitrate), 2% Dusting powder: (nitrate), 2% Oral gel: (nitrate), 2 - 2.5% Lotion/tincture: 2%
Miconazole + hydrocortisone	Cream: miconazole, 2%, hydrocortisone, 1% Vaginal ovule: 200 mg, 400 mg
Nystatin	Cream/ointment: 100,000 units Oral suspension: 100,000 units
12.3 Anti-infective medicines	
Gentamicin	Cream: (sulfate), 0.3%
Gentian violet (Methylrosanilinium chloride)**	Aqueous solution: 0.5% chloride)
Silver sulfadiazine	Cream: 1%
12.4 Anti-inflammatory and antipruritic medicines	
Betamethasone	Cream/ointment: (valerate), 0.1%
Calamine lotion	Lotion
Hydrocortisone	Cream/ointment: (acetate), 1%
Hydrocortisone + Neomycin	Cream/ointment: hydrocortisone 0.5 - 1% + neomycin 0.25 - 0.5%

Methyl salicylate	Ointment/liniment: 4 - 20%
12.5 Astringent medicines	
Aluminium diacetate	Solution: 13% for dilution
Calamine + zinc oxide	Lotion, plaster
12.6 Keratolytic and keratoplastic medicines	
Coal tar	Solution: 1 - 10%
Dithranol	Ointment: 0.1 - 2%
Podophyllum resin	Solution: (topical), 10 - 20%
Salicylic acid	Ointment: 2 - 5%
Urea	Cream/ointment: 10%
12.7 Psoriasis and vitiligo medicines (See Restricted List)	
12.8 Scabicides and pediculicides	
Benzyl benzoate	Emulsion: 25%
Permethrin	Lotion: 1%

** Marked for deletion

13. DIALYSIS SOLUTION	
Interperitoneal dialysis solution	Parenteral solution: (of appropriate composition)

14. DIURETICS	
Amiloride + hydrochlorothiazide	Tablet: 2.5 mg + 25 mg; 5 mg + 50 mg
Furosemide (frusemide)	Tablet: 40 mg Injection: 10 mg/mL in 2-mL ampoule
Hydrochlorothiazide	Tablet: 25 mg, 50 mg
Spirolactone	Tablet: 25 mg, 50 mg

15. MEDICINES ACTING ON RESPIRATORY TRACT	
15.1 Antiasthmatics and medicines for chronic obstructive pulmonary disease	
Aminophylline	Injection: 25 mg/mL
Beclomethasone Dipropionate	Inhalation: (aerosol), 50 micrograms per dose, 250 micrograms per dose
Epinephrine (adrenaline)	Injection: (hydrochloride or hydrogen tartrate), 1 mg in 1-mL ampoule
Ipratropium bromide	Inhalation: (aerosol), 20 micrograms per metered inhalation
Salbutamol*	Inhalation: (aerosol), 100 micrograms (sulfate) per dose Injection: (sulfate), 50 micrograms / mL in 5-mL ampoule Metered dose inhaler: (aerosol), 100 micrograms (sulfate) per dose Oral liquid: 2 mg/5 mL Respirator solution for use in nebulizers: (sulfate), 5 mg/mL Tablet: (sulfate), 2 mg, 4 mg
Salmeterol	Inhalation: (as the hydroxynaphthoic acid salt) 25 mcg per dose (actuation) in pressurize metered-dose inhaler (Each canister provides 120 actuations)
15.2 Antitussive	
Dextromethorphan hydrobromide	Oral liquid: 15 mg/5 mL

* Oral salbutamol treatment should only be considered when inhaled asthma therapy is not feasible

16. MEDICINES AFFECTING THE BLOOD	
16.1 Anti-anaemia medicines	
Hydroxocobalamine	Injection: 1 mg/mL, ampoule
Ferric ammonium citrate	Mixture: 400 mg/5 mL
Ferrous sulphate	Tablet: 200 mg equivalent to 60 mg iron
Ferrous gluconate	Tablet: 300 mg equivalent to 35 mg iron
Folic acid	Tablet: 5 mg
Erythropoietin alpha	Injection: 2000, 4000, 6000, 10000 IU
Erythropoietin beta	Injection: 500 – 3M,MMM
16.2 Anticoagulants and antiplatelets	
Acetylsalicylic acid	Tablet: 75 mg
Clopidogrel	Tablet: (besilate or hydrochloride), 75 mg
Enoxaparin sodium	Injection: 100 mg/mL
Heparin sodium	Injection: 1000 units/mL and 25,000 units/mL ampoule
Warfarin sodium	Tablet: 1 mg, 5 mg
16.3 Antifibrinolytic and haemostatic drug	
Aminocaproic acid (with or without lipid thromboplastin)	Injection: Aminocaproic acid 100 mg + lipid thromboplastin 2 mg per mL, 10-mL ampoule Tablet: 500 mg
16.4 Fibrinolytics	
Alteplase	Powder for injection: 2 mg (1.16 million units)/vial
Streptokinase	Powder for injection: 1.5 million units/vial

17. MEDICINES FOR PARKINSONISM AND OTHER NEUROLOGICAL DISORDERS	
17.1 Antiparkinsonism medicines	
Benzhexol	Tablet: (hydrochloride), 2 mg, 5 mg
Biperiden	Injection: (lactate), 5 mg/mL in 1-mL, ampoule Tablet: (hydrochloride), 2 mg
Levodopa + carbidopa	Tablet: 100 mg + 10 mg Tablet: 250 mg + 25 mg
17.2 Medicines for myasthenia gravis	
Neostigmine	Tablet: (bromide), 15 mg
Pyridostigmine	Tablet: (bromide), 60 mg

18. MEDICINES USED IN ANAPHYLAXIS	
18.1 Anti-anaphylactics	
Dexamethasone	Injection: (sodium phosphate), 4 mg in 1-mL ampoule
Epinephrine (adrenaline)	Injection: (acid tartrate or hydrochloride), 1 mg/mL in 1-mL, ampoule
Hydrocortisone	Injection powder: (sodium succinate) 100 mg, vial
18.2 Antihistamines	
Chlorphenamine	Injection: (maleate), 10 mg in 1-mL ampoule Oral liquid: 2 mg/ 5 mL

	Tablet: (maleate), 4 mg
Loratidine	Tablet: 10 mg
Promethazine	Injection: (hydrochloride), 25 mg/mL in 1- mL and 2-mL ampoule Oral liquid: (hydrochloride), 5 mg/5 mL Tablet: (hydrochloride), 10 mg, 25 mg

19. EAR, NOSE AND THROAT MEDICINES

19.1 Ear medicines

19.1.1 Anti-infective medicines

Chloramphenicol	Ear drops: 5%
Gentamicin	Ear drops: (sulfate), 0.3%

19.1.2 Anti-inflammatory medicines

Betamethasone	Ear drops: (sodium phosphate), 0.1%
---------------	--

19.1.3 Combined anti-infective and anti-inflammatory medicines

Flumetasone + clioquinol	Ear drops: flumetasone pivalate 0.02% + clioquinol 1%
Hydrocortisone + neomycin	Ear drops: hydrocortisone (acetate), 1.5%+ neomycin (sulfate), 0.5%

19.1.4 Removal of ear wax

Glycerol + sodium bicarbonate	Ear drops: glycerol 30 mL + sodium bicarbonate 5 g in 100 mL solution
-------------------------------	--

19.2 Nose medicines

19.2.1 Anti-allergic and nasal decongestants

19.2.1.1 Cauterization of nose

Silver nitrate	Solution: 0.5% in water, freshly prepared. Sticks/crystals
----------------	---

19.2.1.2 Systemic

Pseudoephedrine hydrochloride	Oral liquid: 30 mg/5 mL Tablet: 60 mg
-------------------------------	--

19.2.1.3 Topical

Beclomethasone	Nasal spray: aerosol (dipropionate), 500 micrograms/metered spray
Ephedrine	Nasal drops: (hydrochloride), 0.5%

20. GASTRO-INTESTINAL MEDICINES

20.1 Antacid medicines

Aluminium hydroxide	Mixture: B.P Tablet: 500 mg
Aluminium hydroxide + magnesium trisilicate	Mixture: B.P Tablet: aluminium hydroxide 120 mg + Magnesium trisilicate 250 mg
Magnesium trisilicate	Mixture: 250 mg/5 mL Tablet: 500 mg

20.2 Anti-emetic medicines

Metoclopramide	Injection: (hydrochloride), 5 mg/mL in 2mL-ampoule Oral liquid: (hydrochloride), 5 mg/5 mL Tablet: (hydrochloride), 10 mg
----------------	--

Prochlorperazine	Injection: (mesylate), 12.5 mg/mL in 1-mL and 2-mL ampoules Oral liquid: (mesylate), 5 mg /5 mL Tablet: (maleate), 5 mg, 25 mg
Promethazine	Injection: (hydrochloride), 25 mg/mL in 1mL and 2-mL ampoules Oral liquid: (hydrochloride), 5 mg/5 mL Tablet: (hydrochloride), 10 mg, 25 mg or (theoclate), 25 mg
20.3 Anti-haemorrhoidal medicines	
Preparations containing: Hydrocortisone acetate with or without lidocaine hydrochloride +astringent(s)	Rectal suppository or ointment
20.4 Antispasmodic medicines and smooth muscle relaxants	
Hyoscine N-butylbromide	Injection: 20 mg/mL in 1-mL ampoule Oral liquid: (hydrochloride), 5 mg/5 mL Tablet: 10 mg
20.5 Laxatives	
Bisacodyl	Suppositories: 5 mg, 10 mg Tablet: 5 mg
Lactulose	Syrup: 68% w/v
Liquid paraffin	Emulsion: oral, as faecal softener
Senna	Tablet: total sennosides = 7.5 mg
20.6 Medicines used in diarrhoea	
20.6.1 Oral rehydration therapy	
Oral rehydration salts	Low Osmolarity Oral Rehydration Salts, co-packed with zinc sulphate tablets: 20.5 g ORS (sodium chloride 2.6 g, potassium chloride 1.5 g, sodium citrate 2.9 g, dextrose 13.5 g)+ 20 mg dispersible zinc sulfate Powder, composition/litre of solution: glucose anhydrous 13.5 g, potassium chloride 1.5 g, sodium citrate dihydrate 2.9 g, sodium chloride 2.6 g (the sodium citrate dihydrate may be replaced by sodium bicarbonate 2.5 g, in the absence of the former)
20.6.2 Medicines for diarrhoea in children	
Zinc Sulphate (Should be used as an adjunct to oral rehydration salts in acute diarrhoea)	Oral liquid: in 10 mg per unit dosage form Tablet: in 10 mg per unit dosage form
20.6.3 Medicines for diarrhoea in adults	
Diphenoxylate	Tablet: diphenoxylate hydrochloride, 2.5 mg + atropine sulfate, 25 micrograms
Loperamide	Capsule: 2 mg Tablet: 2 mg
20.7 Helicobacter pylori eradication	
20.7.1 Acid suppressants	
Cimetidine	Injection: 100 mg/mL in 2-mL ampoule Tablet: 200 mg, 400 mg
Omeprazole	Injection powder: (sodium salt), 40 mg, vial Tablet: 10 mg, 20 mg
Ranitidine	Injection: 25 mg/mL in 2-mL ampoule Tablet: (hydrochloride), 150 mg, 300 mg

20.7.2 Anti-infectives	
Amoxicillin	Capsule: (trihydrate), 250 mg, 500 mg
Clarithromycin	Tablet: 250 mg, 500 mg
21. ENDOCRINE MEDICINES	
21.1 Adrenal hormones and synthetic substitutes	
Dexamethasone	Injection: 2 mg/mL, 4 mg/mL in 2-mL, ampoule Tablet: 0.5 mg, 4 mg
Hydrocortisone	Injection powder: (sodium succinate), 100 mg, vial
Prednisolone	Tablet: 1 mg, 5 mg
21.2 Antidiabetic medicines	
21.2.1 Insulins (human)	
Biphasic isophane insulin	Injection: 30% soluble, 70% isophane, 100 units/mL
Insulin, soluble	Injection: (short-acting), 100 units/mL in 10-mL vial
Insulin glargine	Injection: 100 units/mL in 10-mL vial
21.2.2 Oral antidiabetic medicines	
Glibenclamide	Tablet: 5 mg
Gliclazide	Tablet: 80 mg
Glimepiride	Tablet: 1 mg, 2 mg, 3 mg, 4 mg
Metformin	Tablet: (hydrochloride), 500 mg
Vidagliptin*	Tablet: 50 mg
21.3 Contraceptives	
21.3.1 Implantable contraceptives	
Etonogestrel releasing implant	Single rod: containing etonogestrel 68 mg per rod
Levonorgestrel-releasing implant	Two-rod implant, each containing 75 mg of levonorgestrel (150 mg total)
21.3.2 Injectable hormonal contraceptives	
Levonorgestrel	Implant: (subdermal) 36 mg
Medroxyprogesterone acetate	Injection: depot, 150 mg/mL in 3-mL, vial
Norethisterone enantate	Injection: 200 mg/mL in 1-mL, ampoule
21.3.3 Intrauterine devices	
Copper	Various copper-containing devices
Lippe's loop	Various sizes, A, B, C and D with insertion Tubes
21.3.4 Oral hormonal contraceptives	
Ethinylestradiol + levonorgestrel	Tablet: 30 micrograms + 150 micrograms
Ethinylestradiol + levonorgestrel + Ferrous fumarate	Tablet: 30 micrograms + 50 – 15Mmicrograms H 75 mg
Ethinylestradiol H norethisterone	Tablet: 35 micrograms + 1 mg norethisterone
Norethisterone	Tablet: 35 micrograms
21.3.5 Emergency Contraceptives	
Levonorgestrel	Tablet: 0.75 mg
21.4 Androgens (See Restricted List)	
21.5 Estrogens	
Ethinylestradiol	Tablet: 10 micrograms, 50 micrograms

21.6 Medicines acting on pituitary-ovarian axis	
Bromocriptine	Capsule/tablet: (mesylate), 1 mg, 2.5 mg
Clomiphene	Tablet: (citrate), 50 mg
21.7 Thyroid hormones and antithyroid medicines	
21.7.1 Antithyroid medicines	
Carbimazole	Tablet: 5 mg
Iodine + potassium iodide (Lugol's solution)	Oral liquid: containing: iodine 5% and potassium iodide 10% in purified water
Propylthiouracil	Tablet: 50 mg
21.7.2 Thyroid hormone	
Levothyroxine	Tablet: (sodium salt), 50 micrograms, 100 micrograms
Liothyronine	Tablet: (sodium salt), 20 micrograms
21.8 Antidiuretic hormone (See Restricted List)	
21.9 Other hormone inhibitor	
Ocreotide	Injection: 50 micrograms/mL in 1-mL ampoule, 100 micrograms/mL in 1-mL ampoule, 200 micrograms/mL in 1-mL ampoule

22. IMMUNOLOGICALS	
22.1 Sera and immunoglobulins	
Anti-D immunoglobulin (human)	Injection: 250 micrograms / mL, vial
Anti-gas gangrene	Injection: 10,000 units, 30,000 units, vial
Antiscorpion serum	Injection: 1-mL ampoule
Antisnake-bite serum	Injection: polyvalent, 10-mL, 20-mL ampoule
Antitetanus immunoglobulin (Human)	Injection: 1,500 units 10,000 units, ampoule; 50,000 units, vial
Gas-gangrene antitoxin	Injection: 4,000 units, 10,000 units, vial
Normal immunoglobulin	Injection: 16%
Rabies immunoglobulin	Injection: 150 units /mL, vial
22.2 Vaccines*	
22.2.1 Vaccines for specific immunization	
Cholera vaccine	Injection: 1.5-mL, 5- mL, 10-mL and 50-mL, ampoule or vial
Hepatitis B vaccine	Liquid for injection: 10-dose vial
Meningococcal vaccine	Injection powder: 1,10 and 50-dose vials
Rabies vaccine (inactivated)	Injection: 1-mL ampoule
Tetanus vaccine (Tetanus toxoid)	Injection: 0.5 mL-dose ampoule
Typhoid vaccine (Vi antigen)	Injection: 0.5 mL/syringe, 10 mL/vial, 25 mL/vial
Typhoid vaccine (TAB)	Injection: 1.5-mL , vial
Yellow fever vaccine	Injection powder: 1-dose, 5-dose and 10-dose vials
22.2.2 Vaccines for universal immunization	
BCG vaccine	Injection powder: 20-dose vial injection: 10-dose vial
Hepatitis B vaccine	Injection powder: 10-dose vial
Measles vaccine	Injection powder: 10-dose vial
Pentavalent vaccine	Injection: Conjugate vaccine for diphtheria, tetanus, whooping cough, hepatitis B, haemophilus influenza type B
Poliomyelitis vaccines (Live-attenuated)	Oral liquid
Tetanus vaccine	Powder for injection: 10-dose vial

*All vaccines should comply with the World Health Organization's requirements for biological substances

23. IN VIVO DIAGNOSTIC AGENTS	
23.1 Endocrine disorders (See Restricted List)	
23.2 Gastric function (See Restricted List)	
23.3 Myasthenia gravis (See Restricted List)	
23.4 Ophthalmic medicines	
Fluorescein	Eye drops: (sodium salt), 1%
23.5 Radiocontrast media	
23.5.1 Alimentary tract	
Barium sulfate	Aqueous liquid
24. OPHTHALMOLOGICAL MEDICINES	
24.1 Anti-infective medicines	
Aciclovir	Eye ointment: 3.0%
Chloramphenicol	Eye drops: 0.5% Eye ointment: 1.0%
Gentamicin	Eye drops: (sulfate) 0.3% Eye ointment: (sulfate) 0.3%
Iodoxuridine	Eye drops: 0.1% Eye ointment: 0.5%
Miconazole	Eye drops: 1% Injection: 10 mg/mL
Oxytetracycline + polymyxin B	Eye ointment: oxytetracycline hydrochloride, 5 mg + polymyxin B (sulfate) 10,000 units
24.2 Anti-inflammatory and anti-allergic medicines	
Antazoline	Eye drops: (antazoline sulphate + 0.5%, xylometazoline hydrochloride 0.05%)
Prednisolone	Eye drops: 1% (acetate), 5% (sodium phosphate)
24.3 Local anaesthetics	
Tetracaine* (amethocaine)	Eye drops: (hydrochloride), 0.5%
24.4 Miotics and antiglaucoma medicines	
24.4.1 Systemic medicines	
Acetazolamide	Tablet: 250 mg Injection: (sodium salt), 500 mg vial
24.4.2 Topical medicines	
Pilocarpine	Eye drops: (hydrochloride), 1%, 2%, 3%, 4%
Timolol	Eye drops: (maleate), 0.25%, 0.5%
24.5 Mydriatic medicines	
Atropine	Eye drops: (sulfate), 0.5%, 1.0%
Homatropine	Eye drops: (hydrobromide), 1%, 2%
Phenylephrine	Eye drops: (hydrochloride), 0.25%, 0.5%, 2.5%, 10%
Tropicamide	Eye drops: 0.5%, 1%

24.6 Diagnostic eye medicines	
Fluorescein sodium	Eye drops: (sodium salt), 1%, 2%
24.7 Miscellaneous eye preparation	
Methylcellulose	Eye drops: 1%, 2%
*Not for use in preterm neonates	
25. OXYTOCICS AND TOCOLYTICS	
Ergometrine	Injection: (maleate), 0.5 mg/mL Tablet: (maleate), 500 micrograms
Misoprostol	Tablet: 200 micrograms
Oxytocin	Injection: 5 units, 10 units / mL in ampoules
Salbutamol	Injection: (sulfate), 500 micrograms/mL, 1 mg/mL Oral liquid: (sulfate), 2 mg/5 mL Tablet: (sulfate), 2 mg, 4 mg
26. PREPARATIONS FOR CORRECTING WATER ELECTROLYTE AND ACID -BASE DISTURBANCES	
26.1 Oral preparations	
Oral Rehydration Salts	See 20.6.1
Potassium chloride	Oral liquid: 5%, 10%, 20% Tablet: slow release, 600 mg
26.2 Parenteral preparations	
Darrow's solution	Injection: B.P., half strength, full strength
Glucose	Injection: 5%, 10%, 50%
Glucose + sodium chloride	Injection: 4.3% + 0.18%, 5.0% + 0.9%
Mannitol	Injection: 10%, 20%
Potassium chloride	Injection: 15% (equivalent to K ⁺ 2mmol/mL and Cl ⁻ 2 mmol/mL)
Ringer's solution	Injection: B.P.
Sodium chloride	Injection: 0.9% isotonic (Na ⁺ 154 mmol/L, Cl ⁻ 154 mmol/L) Injection: 0.45% isotonic (Na ⁺ 77 mmol/L, Cl ⁻ 77 mmol/L)
Sodium hydrogen carbonate (Sodium bicarbonate)	Injection: 8.4% in 10-mL, ampoule (Na ⁺ 1000 mmol/L, HCO ₃ ⁻ 1000 mmol/L)
Sodium lactate	Injection: Na ⁺ 131 mmol/L, K ⁺ 5 mmol/L, Ca ²⁺ 2 mmol/L, HCO ₃ ⁻ as lactate 29 mmol/L, Cl ⁻ 111 mmol/L
26.3 Miscellaneous	
Water for injection	Injection: 2 mL, 5 mL, 10 mL, 20 mL, 50-mL ampoule or , vial
27. PSYCHOTHERAPEUTIC MEDICINES	
27.1 Antidotes to antipsychotic medicines	
Benzhexol (trihexyphenidyl)	Tablet: (hydrochloride), 2 mg, 5 mg
Biperiden	Injection: (lactate), 5 mg/mL in 1-mL ampoule Tablet: (hydrochloride), 2 mg
27.2 Medicines used in generalized anxiety	
Diazepam	Tablet: (scored), 2 mg, 5 mg

27.3 Medicines used in mood disorders	
27.3.1 Medicines used in depressive disorders	
Amitriptyline	Tablet: (hydrochloride), 25 mg
Fluoxetine	Solid oral dosage forms: (hydrochloride), 20 mg
27.3.2 Medicines used in bipolar disorders	
Carbamazepine	Tablet: (scored), 100 mg, 200 mg
Valproic acid (sodium valproate)	Tablet: (enteric-coated), 200mg, 500mg
27.4 Medicines used for obsessive compulsive disorders and panic attacks	
Clomipramine	Capsule: (hydrochloride), 10 mg, 25 mg
27.5 Medicines used in psychotic disorders	
Chlorpromazine	Injection: (hydrochloride), 25 mg/mL in 2-mL ampoule Oral liquid: (hydrochloride) 25 mg/5 mL Tablet: (hydrochloride), 100 mg
Fluphenazine	Injection: (decanoate), 25 mg in 1-mL ampoule
Haloperidol	Injection: (decanoate), 5 mg in 1-mL ampoule Tablet: 2 mg, 5 mg
Risperidone	Tablet: 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg
27.6 Medicines used in substance dependence programmes (See Restricted List)	
Buprenorphine**	
Metadone**	
Naltrexone**	

** For use only within an established support programme

28. VITAMINS AND MINERALS	
28.1 Vitamins	
Ascorbic acid (vitamin C)	Oral liquid: 100 mg/5 mL Tablet: 100 mg
Cyanocobalamin (vitamin B ₁₂)	50 micrograms
Ergocalciferol	Capsule: tablet, 10,000 units, 50,000 units Oral liquid: 250 micrograms/mL
Folic acid	Tablet: , 400 microgram, 5 mg
Hydroxycobalamin	Injection: 0.25 mg/mL, 1 mg/mL, ampoule
Pyridoxine (vitamin B ₆)	Tablet: (hydrochloride), 10 mg, 20 mg, 50 mg
Retinol (vitamin A)	Capsule/tablet: 5,000 units; 25,000 units; 50,000 units; 100,000 units; 200,000 units
Riboflavin (vitamin B ₂)	Tablet: 5 mg
Thiamine (Vitamin B ₁)	Tablet: (hydrochloride), 25 mg, 50 mg
Vitamin B Complex*	Oral liquid and Injection
28.2 Minerals	
Calcium salt	Tablet: (gluconate), 600 mg Injection: (gluconate), 10%
Sodium fluoride	Tablet: 2.2 mg equivalent to 1 mg of fluoride ion

*Various safe combinations are acceptable (see Appendix 1 for the approved strengths of various Vitamins)

29.0 FOR MANAGEMENT OF INCOMPLETE ABORTION AND MISCARRIAGE (See Restricted List)

30.0 URINARY AND ERECTILE DYSFUNCTION (See Restricted List)

**THE PRIMARY HEALTH CARE LIST
(HEALTH CENTRES)**

ANAESTHETICS (LOCAL)	
Lidocaine	Topical, injection
ANALGESICS	
Acetylsalicylic Acid*	Tablet
Ibuprofen	Tablet, capsule
Paracetamol	Oral liquid, tablet, suppository
*Not for children, use with caution in adults	
ANTI-ALLERGICS	
Chlorphenamine	Oral liquid, tablet
Epinephrine (Adrenaline)	Injection
Promethazine	Tablet, oral liquid
ANTICONVULSANTS	
Diazepam**	Injection
Paraldehyde**	Injection
Phenobarbital	Tablet
**Use with extra caution	
ANTIDOTES	
Atropine	Injection
Charcoal (activated)	Powder
ANTIHYPERTENSIVE MEDICINES	
Amlodipine	Tablet
Amiloride	Tablet
Hydrochlorothiazide	Tablet
ANTI-INFECTIVE MEDICINES	
<i>Antibacterial medicines</i>	
Amoxicillin	Capsule, dry powder for suspension, dispersible tablets
Benzathine Penicillin	Injection
Benzyl penicillin	Injection
Co-trimoxazole	Tablet, oral liquid
Erythromycin	Tablet, suspension
Gentamicin	Injection
Nitrofurantoin	Tablet
Phenoxyethylpenicillin	Tablet
Tetracycline*	Capsule
<i>Antileprosy</i>	
Clofazimine	Capsule
Dapsone	Tablet
Rifampicin	Capsule or tablet
<i>Amoebicide</i>	
Metronidazole	Tablet
<i>Anthelmintics</i>	

Albendazole	Oral liquid, tablet
Praziquantel	Tablet
Pyrantel	Oral liquid, tablet
Antifilarial	
Diethylcarbamazine	Tablet
Ivermectin	Tablet
Antimalarials	
Artemether + lumefantrine	Oral liquid, tablet
Artesunate	Injection, suppositories
Artesunate + amodiaquine	Tablet
Clindamycin***	Capsule
Quinine**	Injection
Pyrimethamine + sulfadoxine	Tablet, Oral liquid
Anti-tuberculosis medicines	
Ethambutol	Tablet
Isoniazid	Tablet
Pyrazinamide	Tablet
Rifabutin	Capsule, tablet
Rifampicin	Capsule, tablet

* Not recommended for children and pregnant women

** Intramuscular, for pre-referral treatment only

*** Use only with Quinine in first trimester of pregnancy

ANTISEPTICS AND DISINFECTANTS	
Benzoin	Compound tincture
Chlorhexidine	Gel: 4% in 25g (umbilical cord care) Solution: (gluconate), 5% for dilution
Iodine	Solution
Methylated spirit	Solution
Sodium hypochlorite	Solution
CARDIOVASCULAR MEDICINES	
Nifedipine	Tablet
Hydrochlorothiazide/amiloride	Tablet

DERMATOLOGICAL MEDICINES	
Benzoic acid + salicylic acid (Whitfield's)	Ointment
Benzoyl peroxide	Cream/gel
Benzyl benzoate	Emulsion
Calamine	Lotion
Gentamicin	Ointment
Methyl salicylate	Ointment
Neomycin + Bacitracin	Ointment, powder
Nystatin	Ointment, cream
Zinc oxide	Ointment

MEDICINES AFFECTING THE BLOOD	
Ferrous salts	Oral liquid, tablet
Folic acid	Tablet

DIAGNOSTIC AGENT	
Rapid Diagnostic Tests	Various kits for malaria
Tuberculin	Injection, PPD

DRESSINGS AND MEDICAL DEVICES	
Absorbent gauze bandages	
Cotton wool (absorbent)	
Disposable gloves	
Disposable syringes	2 mL with needles (19, 21 Gauge) 5 mL with needles (19, 21 Gauge)
EAR, NOSE AND THROAT MEDICINES	
Chloramphenicol	Ear drops
GASTRO-INTESTINAL MEDICINES	
Hydrocortisone + lidocaine	Suppository
Hyoscine N-butylbromide	Tablet
Magnesium trisilicate	Compound tablet, oral liquid
Oral Rehydration Salts	Low Osmolarity Oral Rehydration Salts,co-packed with Zn
Senna	Tablet
Zinc	Oral liquid, tablet
HORMONES AND SYNTHETIC SUBSTITUTES	
Barrier methods	Condoms with or without spermicide
Oral contraceptives	Tablet
IMMUNOLOGICALS	
Anti-snake bite serum	Injection
Anti-tetanus immunoglobulin (human)	Injection
BCG vaccine	Injection
Diphtheria + pertussis + tetanus vaccine	Injection
Measles vaccine	Injection
Poliomyelitis vaccine	Oral liquid
Rabies immunoglobulin	Injection
Tetanus vaccine	Injection
OPHTHALMOLOGICAL MEDICINES	
Chloramphenicol	Eye drops, ointment
Chlortetracycline	Eye ointment
OXYTOCIC	
Ergometrine	Tablet, injection
Misoprostol	Tablet, vaginal tablet
Oxytocin	Injection
PSYCHOTHERAPEUTIC MEDICINES	
Chlorpromazine	Injection
RESPIRATORY MEDICINES	
Beclomethasone	Inhaler
Salbutamol	Tablet, inhaler
VITAMINS AND MINERALS	

Ascorbic acid (Vitamin C)	Tablet
Calcium gluconate	Injection
Calcium lactate	Tablet
Folic acid	Tablet
Vitamin A	Capsule

MISCELLANEOUS

Water for injection	Injection
Spatulas	

**THE PRIMARY HEALTH CARE LIST
(PRIMARY HEALTH CLINICS)**

ANAESTHETICS (LOCAL)	
Lidocaine	Topical, injection
ANALGESICS	
Acetylsalicylic Acid*	Tablet
Ibuprofen	Tablet
Paracetamol	Oral liquid, tablet
*Not for children, use with caution in adults	
ANTI-ALLERGENICS	
Chlorphenamine	Oral liquid, tablet
Epinephrine (Adrenaline)	Injection
Promethazine	Tablet, oral liquid
ANTICONVULSANTS	
Diazepam**	Injection
Paraldehyde**	Injection
Phenobarbital	Tablet
**Use with extra caution	
ANTIDOTES	
Atropine	Injection
Charcoal (activated)	Powder
ANTIHYPERTENSIVE MEDICINES	
Amlodipine	Tablet
Amiloride	Tablet
Hydrochlorothiazide	Tablet
ANTI-INFECTIVE MEDICINES	
<i>Antibacterial medicines</i>	
Amoxicillin	Dispersible tablets
Co-trimoxazole	Tablet, oral liquid (For people with penicillin sensitivity)
<i>Amoebicide</i>	
Metronidazole	Tablet
<i>Anthelmintics</i>	
Mebendazole	Oral liquid, tablet
<i>Antimalarials</i>	
Artemether + lumefantrine	Oral liquid, tablet
Artesunate	Suppositories
Artesunate + amodiaquine	Tablet
Pyrimethamine + sulfadoxine	Tablet, Oral liquid
ANTISEPTICS AND DISINFECTANTS	
Benzoin	Compound tincture
Chlorhexidine	Gel: 4% in 25g (umbilical cord care) Solution: (gluconate), 5% for dilution
Iodine	Solution

Methylated spirit	Solution
Sodium hypochlorite	Solution
DERMATOLOGICAL MEDICINES	
Benzoic acid + salicylic acid (Whitfield's)	Ointment
Benzoyl peroxide	Cream/gel
Benzyl benzoate	Emulsion
Calamine	Lotion
Gentamicin	Ointment
Methyl salicylate	Ointment
Zinc oxide	Ointment
MEDICINES AFFECTING THE BLOOD	
Ferrous salts	Oral liquid, tablet
Folic acid	Tablet
DIAGNOSTIC AGENT	
Rapid Diagnostic Tests	Various kits for malaria
DRESSINGS AND MEDICAL DEVICES	
Absorbent gauze bandages	
Cotton wool (absorbent)	
Disposable gloves	
Disposable syringes	2 mL with needles (19, 21 Gauge) 5 mL with needles (19, 21 Gauge)
Clinical Thermometer	
EAR, NOSE AND THROAT MEDICINES	
Chloramphenicol	Ear drops
GASTRO-INTESTINAL MEDICINES	
Hyoscine N-butylbromide	Tablet
Magnesium trisilicate	Compound tablet, oral liquid
Oral rehydration salts	Low Osmolarity Oral Rehydration Salts,co-packed with Zn
Senna	Tablet
Zinc	Oral liquid, tablet
HORMONES AND SYNTHETIC SUBSTITUTES	
Barrier methods	Condoms with or without spermicide
IMMUNOLOGICALS	
Tetanus vaccine	Injection
OPHTHALMOLOGICAL MEDICINES	
Chloramphenicol	Eye drops, ointment
Chlortetracycline	Eye ointment
OXYTOIC	
Ergometrine	Tablet, injection
Misoprostol	Tablet, Vaginal tablet
Oxytocin	Injection

RESPIRATORY MEDICINES	
Beclomethasone	Inhaler
Salbutamol	Tablet, inhaler

VITAMINS AND MINERALS	
Ascorbic acid (Vitamin C)	Tablet
Calcium salts	Tablet
Folic acid	Tablet
Vitamin A	Capsule

MISCELLANEOUS	
Water for injection	Injection
Spatulas	

**THE PRIMARY HEALTH CARE LIST
(HEALTH POSTS)**

Absorbent gauze	Dressing
Amoxicillin	Dispersible tablets
Artemether + lumefantrine	Oral liquid, tablet
Artesunate + amodiaquine	Tablet
Benzyl benzoate	Emulsion
Calamine lotion	Lotion
Chlorhexidine	Gel: 4% in 25g (umbilical cord care) Solution: (gluconate), 5% for dilution
Clinical Thermometer	
Condoms	Barrier methods
Cotton wool / crepe bandages	Dressing
Ferrous salts	Tablet
Folic acid	Tablet
Methyl salicylate	Ointment
Methylated spirit	Solution
Paracetamol	Oral liquid
Oral Rehydration Salts	Low Osmolarity Oral Rehydration Salts,co-packed with Zn
Plastic aprons	
Povidone iodine	Tincture
Rapid Diagnostic Test	Various kits for malaria
Salicylic acid + Benzoic acid (Whitfield's)	Ointment
Surgical Blades	
Zinc	Oral liquid, tablet
Zinc oxide plaster	Dressing

* **Not for children**

LIST OF PRODUCTS TO BE STOCKED AND SOLD BY PATENT MEDICINE VENDOR

ANALGESICS AND ANTIPIRETTICS	
Acetylsalicylic acid (aspirin)	Capsule/tablet: 300 mg
Ibuprofen	Capsule/tablet: 200 mg, 400 mg
Paracetamol	Oral liquid: 125 mg/5 mL Tablets: 125 mg, 500 mg
ANTHELMINTHICS	
Levamisole	Oral liquid: 40 mg/5 mL Tablet: 40 mg
Mebendazole	Oral liquid: 100 mg/5 mL Tablet: 100 mg
ANTACID MEDICINES	
Aluminium hydroxide	Oral liquid, tablet
Magnesium trisilicate	Oral liquid: 100 mL, 200 mL Compound tablet
ANTI-ANAEMIA MEDICINES	
Ferric ammonium citrate	Oral liquid: 400 mg/5 mL
Ferrous salts	Capsule/tablet
Folic acid	Tablet: 5 mg
ANTI-DIARRHOEAL MEDICINES	
Low osmolarity oral rehydration salts	Low Osmolarity Oral Rehydration Salts, co-packed with zinc sulphate tablets: 20.5 g ORS (sodium chloride 2.6 g, potassium chloride 1.5 g, sodium citrate 2.9 g, dextrose 13.5 g)+ 20 mg dispersible zinc sulfate
Zinc (sulphate) + Low Osmolarity Oral Rehydration Salts	Low Osmolarity Oral Rehydration Salts, co-packed with zinc sulphate tablets: 20.5 g ORS (sodium chloride 2.6 g, potassium chloride 1.5 g, sodium citrate 2.9 g, dextrose 13.5 g)+ 20 mg dispersible zinc sulfate
ANTIMALARIALS	
Artesunate + amodiaquine	Oral liquid: 15 mg + 90 mg in 5 mL Tablet: 25 mg + 67.5 mg, 50 mg+ 135 mg, 100 mg + 270 mg
Artemether + lumefantrine	Tablet: 20 mg + 120 mg
Sulphadoxine + pyrimethamine	500 mg + 25 mg tablet/syrup (per 5ml)
ANTI-EFFECTIVE MEDICINES	
Amoxicillin*	Dispersible tablet: 125mg and 250mg
ANTISEPTIC AND DISINFECTANT SOLUTIONS	
Benzoin	Compound tincture
Cetrimide + chlorhexidine	Solution: 15% + 1.5%
Chlorhexidine gluconate	Solution: 5% for dilution
Chorhexidine	Gel: 4% in 25g (umbilical cord care) Solution: (gluconate), 5% for dilution
Chloroxylenol	Solution: 5% (for dilution)
Dichloroxylenol + chlorophenol	Soap, solution
Methylated spirit	50 mL, 100 mL
Povidone iodine	Solution: 30 mL, 60 mL
Sodium hypochlorite	10%, 250 mL, 500 mL
COLD RELIEF	
Chlorphenamine maleate	Tablet: 4 mg (10s) Syrup: 2 mg per mL
Diphenhydramine preparations	
CONTRACEPTIVES	
Condoms	
Foaming tablets	
DERMATOLOGICALS	
Anti-infective Medicines	
Gentian violet	Tincture: 1%
Silver sulphadiazine	Cream: 1%
Antipruritic and astringent Medicines	

*.UNCOLSC

Calamine	Lotion
Calamine + zinc oxide	Lotion, plaster
Fungicides	
Benzoic acid plus salicylic acid (Whitfield's)	Ointment: (6% + 3%) ration 2:1
Clotrimazole	Cream, dusting powder, ointment, 1%
Selenium sulfide	Shampoo: 2.5%
Keratolytic and keratoplastic medicines	
Coal tar	Solution/ointment USP
Salicylic acid	Ointment: 2.5%, Solution: 12% in flexible collodion
Scabicides and pediculicides	
Benzyl benzoate	Emulsion: 25%
Monosulfiram	Solution/ soap: 25%
DRESSINGS AND MEDICAL DEVICES	
Absorbent gauze	
Cotton/crepe bandages	
Cotton wool	
Elastic plaster dressings	
Dusting powder	Zinc, starch and talc dusting powder with or without menthol
Clinical Thermometer	
MOUTHWASH	
Hexetidine solution	0.1%
NON-SPECIFIC (GENERAL) ANTIDOTES	
Charcoal, activated	Powder/granules: 5 g, sachet Tablet: 1 g
RUBEFACIENTS AND INHALERS	
Methyl salicylate compound preparations	Balm, cream, embrocation, liniment, rubs, ointment, oil and inhaler
PURGATIVE MEDICINES	
Magnesium hydroxide	Oral liquid: 8% hydrated magnesium oxide
Magnesium sulphate	Granules: sachets, 5 g Oral liquid: 4 g in 10 mL
Senna	Granules, tablets
THROAT ANTISEPTIC PREPARATIONS	
Dequalinium hydrochloride	Lozenges: 250 mg
Domiphen bromide	Lozenges: 1.5 mg
Hexetidine	Mouthwash/gargle, 0.1%
Menthol + ascorbic acid + hydrous citric acid	Lozenges: (0.09% + 2.9412% + 0.8332% respectively)
Menthol + eucalyptus oil + camphor + thymol	Lozenges: (0.207% + 0.069% + 0.0007% + 0.0007% respectively)
VITAMINS, MINERALS AND NUTRITIONALS	
Ascorbic acid (Vitamin C)	Oral liquid: 100 mg in 5 mL Tablets: 100 mg
Calcium salts	Tablets: (gluconate), 600 mg Tablets: (lactate), 300 mg
Cod liver oil	Capsules, oral liquid
Folic acid	Tablet: 5 mg
Glucose	Powder for oral use
Multivitamins	Capsule, drop, oral liquid, tablet
Vitamin B complex	Oral liquid, tablet
DIAGNOSTIC AGENT	
Rapid Diagnostic Tests	Various kits for malaria

APPENDIX 1: APPROVED DOSES FOR VITAMINS

Vitamin	Age Group/Physiological State	Daily Dosage
Biotin	Adults	100 - 300 mg
Folic acid	Children Adults	40 - 200 micrograms 200 - 5000 micrograms
Nicotinamide	Adults Deficiency: Adults	15 - 30 mg (prophylaxis) 50 - 250 mg (therapeutic)
Pantothenic acid	Children Adults	0.5 - 3.5 mg 1 - 7 mg
Vitamin A	Children Adults Pregnancy Lactation Deficiency	1,500 - 5,000 units 5,000 - 10,000 units 5,000 - 6,000 units 5,000 - 10,000 units 25,000 - 50,000 units
Vitamin B ₁ (thiamine)	Children Adult Deficiency: Children Adults	0.3 - 1 mg 1 - 1.3 mg 5 - 50 mg 200 - 300 mg
Vitamin B ₂ (riboflavin)	Children Adults Deficiency: Adults	1 - 1.8 mg 0.3 - 1 mg 5 - 30 mg
Vitamins	Age Group/Physiological State	Daily Dosage
Vitamin B ₆ (pyridoxine hydrochloride)	Children Adults Deficiency: Children Adults	0.3 - 0.6 mg 1 - 2 mg 20 - 50 mg 50 - 400 mg
Vitamin B ₁₂ (cyanocobalamin)	Children Adults Deficiency: Adults	0.3 - 2 micrograms 2 - 3 micrograms 50 - 1,000 micrograms
Vitamin C (ascorbic acid)	Children Adults	50 - 200 mg 250 - 1,000 mg
Vitamin D (cholecalciferol)	Children Adults	2.5 - 5 micrograms 25 - 50 micrograms
Vitamin E	Children Adults Deficiency: Children	3 - 15 mg 50 - 200 mg 1000 - 2000 mg

* Formulations containing various specified amounts of vitamins are accepted provided the formulations satisfy the vitamin requirements of the age and the physiological state of the intended user.

APPENDIX 2: RESTRICTED MEDICINES LIST

2.4 Non-steroidal anti-inflammatory, gout and rheumatoid medicines	
Etanercept	Injection: 25 mg, 50 mg prefilled syringes
Leflunomide	Tablets: 10 mg, 20 mg, 100 mg
Rituximab	Injection: 10 mg/mL in 10-mL vials
Sulfasalazine	Tablet: 500 mg
Sulfipyrazone	Capsules/tablets: 100 mg, 200 mg
5.1 Amoebicide	
Diloxanide	Tablet: (furoate), 500 mg
5.2.2 Antifilarials	
Diethylcarbamazine	Tablet: (citrate) 50 mg
5.2.3 Antischistosomal and other antitrematode medicines	
Eflornithine	Injection: (hydrochloride), 200 mg/mL in 100-mL bottle
Nifortimox	Tablet: 30 mg, 120 mg, 250 mg
5.3 Antibacterial Medicine	
Chloramphenicol	Capsule: 250 mg Injection powder: (sodium succinate), 1 g Oral liquid: (palmitate), 150 mg /5 mL
Ofloxacin	Capsule/tablet: 200 mg Injection: 100 mg in 50 mL, 200 mg in 100 mL
5.7 Antimalarial medicine	
5.7.1 Prophylaxis	
Atovaquone/Proguanil combination	Tablet: 250 mg atovaquone plus 100 mg proguanil (hydrochloride) for adult; 62 mg atovaquone plus 25 mg proguanil for children
Hydroxychloroquine	Tablet: 200 mg
Mefloquine	Tablet: (hydrochloride), 250 mg
Proguanil	Tablet: (hydrochloride), 100 mg
5.7.2 Treatment	
Chloroquine	Tablet: (sulfate or phosphate) 200 mg base
5.9 Anti-tuberculosis medicines (Programme Medicines)*	
Kanamycin (Km)	
Amikacin (Am)	
Capreomycin (Cm)	
Streptomycin (S)	
Levofloxacin (Lfx)	
Moxifloxacin (Mfx)	
Gatifloxacin Gfx	
Ethionamide (Eto)	
Prothionamide (Pto)	
Cycloserine (Cs)	
Terizidone (Trd)	
P-aminosalicylic acid (PAS)	
Clofazimine (Cfz)	
Linezolid (Lzd)	
Thiacetazone (Th)	
Imipenem/Cilastatin (Ipm/Cln)	
Bedaquiline (Bdq)	
Delamanid (Dlm);	
7. ANTINEOPLASTIC AND IMMUNOSUPPRESSIVE MEDICINES	
Bicalutanide	Tablet: 50 mg
Buserelin	Injection: (acetate), 1 mg/mL in 5.5 mL vial Nasal spray: (acetate), 150 micrograms / metered spray
Degarelix	Injection powder: (acetate), 80 mg, 120 mg vials
Docetaxel	Injection: 10 mg/mL Injection powder: 20 mg, 80 mg
Flutamide	Tablet: 250 mg
Goserelin	Injection: (acetate), 3.6 mg in prefilled syringe

Leuprolide	Injection: (acetate), 1 mg/0.2 mL
Mechlorethamine	Injection powder: 10 mg vial
Zolendronic acid	Injection: 5 mg/100 mL
10.4 Medicines used in heart failure	
Carvedilol	Tablet: 12.5 mg, 25 mg
5.10 Antiviral medicines	
Pegylated Interferonalpha-2b	Injection powder: 3,000,000 to 9,000,000 units
Ribavirin	Capsule/tablet: 200 mg, 400 mg Oral liquid: 200 mg/5 mL
5.11 Systemic antifungal medicines	
Terbinafine	Tablet: (hydrochloride), 250 mg
10.4 Medicines used in heart failure	
Dobutamine	Injection: (hydrochloride), 5 mg/mL in 50-mL vial
Dopamine	Injection: (hydrochloride), 40 mg/mL in 5-mL vial
11.2 Local anaesthetics	
Prilocaine	Injection: 3% with felypressin 0.03 units / mL
12.4 Anti-inflammatory and antipruritic Medicines	
Clobetasol	Cream, ointment: (propionate), 0.05%
Doxepin	Capsule: (hydrochloride), 10 mg, 25 mg, 50 mg, 75 mg
Fluocinolone	Cream, ointment: (acetoneide), 0.025%
Ketotifen	Tablet: 1 mg
12.1 Anti-acne medicines	
Tretinoin	Cream: 0.025%, 0.05%
12.7 Psoriasis and vitiligo medicines	
8-Methylpsoralen	Capsule: 10 mg Lotion: 10 mg/mL
Tacrolimus	Capsule: 0.5 mg, 1 mg, 3 mg, 5 mg
Tazarotene	Cream/gel: 0.05%, 0.1%
12.8 Scabicides and pediculicides	
Crotamiton	
12.9 Sunscreen agents	
Aminobenzoic acid	Cream: 5% Lotion: 5% Paste: 5%
Titanium dioxide	Cream: 20 - 25% Paste: 20 - 25%
16.1 Anti-anaemia Medicines	
Iron dextran	Injection: equivalent to 50 mg iron / mL, in 2-mL ampoule
18.2 Antihistamines	
Cinnarizine	Tablet: 15 mg
20.2 Anti-emetic medicines	
Cyclizine	Tablet: 25 mg
21.1 Adrenal hormones and synthetic substitutes	
Fludrocortisone	Tablet: 0.1 mg
Methylprednisolone	Injection: (acetate), 40 mg / mL in 1-mL, 2-mL
21.4 Androgens	
Mesterolone	Tablet: 25 mg
Testosterone	Injection: (enanthate) 200 mg in 1-mL ampoule
21.5 Estrogens	
Diethylstilboestrol	Tablet: 0.5 mg, 1 mg, 5 mg, 25 mg
21.5 Medicines acting on pituitary-ovarian axis	
Chorionic gonadotropin	Injection powder: 500 units, 1000 units, ampoule
Danazol	Capsules: 100 mg, 200 mg
Epimestrol	Tablet: 5 mg
Follicle-stimulating hormone (FSH) + luteinizing hormone (LH)	Injection powder: 75 units + 75 units
21.7.2 Thyroid hormone	
Triiodothyronine	Tablet: 5 micrograms, 10 micrograms, 25 micrograms
21.8 Antidiuretic hormones	

Desmopressin	Injection: 4 micrograms / mL Intranasal solution: 100 micrograms / mL Nasal spray: 10 micrograms/metered spray
Octreotide	Injection: (acetate), 50 micrograms/mL, 100 micrograms/mL in 1-mL ampoules
Vasopressin	Injection: 20 units / mL in 1-mL ampoule
21.9 Other hormone inhibitor	
Aminoglutethimide	Tablet: 250 mg
Mifepristone	Tablet: 300 mg
23.1 Diagnostic agents for endocrine disorders	
Luteinizing hormone-releasing hormone (LH-RH)	Injection: 0.1 mg / mL in 1- mL ampoule
Metyrapone	Capsule/tablet: 250 mg
Thyrotropin releasing hormone (TRH)	Injection: 0.2 mg / mL and 5-mL vials/
Triamcinolone	Injection: (acetanide), 10 mg / mL, 40 mg
23.2 Diagnostic agents for gastric function	
Histamine phosphate	Injection: 1 mg / mL, ampoule
Pengrastrin	Injection: 0.25 mg / mL ampoule
Tetracosactide	Injection: (acetate) 1 mg / mL
23.3 Diagnostic agent for myasthenia gravis	
Edrophonium	Injection: (chloride), 10 mg / mL
24.1 Anti-infective medicines	
Ofloxacin	Tablet: 200 mg, 400 mg
24.2 Anti-inflammatory and anti-allergic medicines	
Ketotifen	Eye drops: 0.035%
Olopatadine	Eye drops: 0.1%, 0.2%
24.4.2 Topical antiglaucoma medicines	
Dipivefrin	Eye drops: 0.1%
27.3.2 Medicines used in bipolar disorders	
Lithium carbonate	Capsule, tablet: 300 mg
Pimozide	Tablet: 4 mg, 10 mg
27.6 Medicines used in substance dependence programmes	
Buprenorphine	Tablet: 150 micrograms, 300 micrograms, 400 micrograms, 600 micrograms
Hydromorphone	Tablet: (hydrochloride), 2 mg, 4 mg
Methadone	Injection: 10 mg/mL in 1-mL ampoule Tablet: (hydrochloride), 5 mg
Naltrexone	Tablet: 50 mg
Oxycodone	Injection: (hydrochloride), 10 mg/mL in 1-mL ampoule Tablet: (hydrochloride), 5 mg, 7.5 mg Tablet: (extended release), 10 mg, 20 mg, 40 mg
29.0 FOR MANAGEMENT OF INCOMPLETE ABORTION AND MISCARRIAGE	
Misoprostol	Tablet: 200 micrograms Pessary: 25 micrograms
30.0 URINARY AND ERECTILE DYSFUNCTION	
Alfuzosin	Tablet: 10 mg
Bethanecol	Tablet: 10 mg, 25 mg
Finasteride	Tablet: 5 mg
Sildenafil	Tablet: 25 mg, 50 mg, 100 mg

* Doses and combinations of medicines used by programmes often vary

INDEX

- Abacavir (ABC), 5
- Absorbent gauze, 26, 28, 26, 28
- Absorbent gauze bandages, 21, 24
- Acetazolamide, 16
- Acetylsalicylic acid, 2, 11, 27
- Acetylsalicylic Acid*, 19, 23
- Aciclovir, 5, 16
- Actinomycin-D, 6
- Albendazole, 3, 20
- Alfuzosin, 32
- Allopurinol, 2
- Alteplase, 11
- Aluminium diacetate, 10
- Aluminium hydroxide, 12, 27
- Amikacin (Am), 30
- Amiloride, 9, 11, 21, 25
- Amiloride + hydrochlorothiazide, 8, 10
- Aminobenzoic acid, 31
- Aminocaproic acid (with or without lipid thromboplastin), 11
- Aminoglutethimide, 32
- Aminophylline, 10
- Amiodarone, 8
- Amitriptyline, 18
- Amlodipine, 8, 19, 23
- Amoebicide*, 3, 23, 30
- Amoxicillin, 3, 14, 19, 23, 26, 27
- Amphotericin B, 6
- Ampicillin + cloxacillin, 3
- Antazoline, 16
- Anti-D immunoglobulin (human), 15
- Anti-gas gangrene, 15
- Antiscorpion serum, 15
- Anti-snake bite serum, 21
- Antisnake-bite serum, 15
- Anti-tetanus immunoglobulin (human, 21
- Antitetanus immunoglobulin (Human), 15
- Artemether, 5, 23, 26, 27, 29
- Artesunate, 5, 20, 23, 27
- Artesunate + amodiaquine, 5, 20, 23, 26
- Ascorbic acid (vitamin C), 22
- Ascorbic acid (Vitamin C), 25, 28, 29
- Asparaginase, 6
- Atenolol, 8
- Atovaquone +proguanil, 5
- Atracurium, 1
- Atropine, 1, 2, 16, 23
- Azathioprine, 6
- Azithromycin, 4
- Bacitracin, 20
- Barium sulfate, 16
- Barrier methods, 21, 24
- BCG vaccine, 15, 21
- Beclomethasone, 10, 12, 25

- Beclomethasone Dipropionate, 10
- Bedaquiline (Bdq), 30
- Bendroflumazide, 8
- Benzathine benzylpenicillin, 4
- Benzathine Penicillin, 19
- Benzhexol, 11, 17
- Benzoic acid + salicylic acid, 9, 20, 24
- Benzoin, 7, 20, 27
- Benzoyl peroxide, 9, 20, 24
- Benzyl benzoate, 10, 20, 24, 26
- Benzyl penicillin, 19
- Benzylpenicillin, 4
- Betamethasone, 9, 12
- Bethanecol, 32
- Bicalutanide, 30
- Biperiden, 11, 17
- Biphasic isophane insulin, 14
- Bisacodyl, 13
- Bleomycin, 6
- Bromocriptine, 15
- Bupivacaine, 1
- Buprenorphine, 18, 32
- Buserelin, 30
- Calamine, 9, 20, 24, 26, 28
- Calamine + zinc oxide, 10, 28
- Calamine lotion, 9, 26
- Calcium gluconate, 22
- Calcium salt, 18
- Calcium salts, 25, 28
- Capreomycin (Cm), 30
- Captopril, 8
- Carbamazepine, 2, 18
- Carbimazole, 16
- Carboplatin, 6
- Carvedilol, 31
- Ceftriaxone, 4
- Cefuroxime, 4
- Cetrimide + chlorhexidine, 7, 27
- Charcoal (activated, 19, 23
- Charcoal, activated, 2, 28
- Chlorambucil, 6
- Chloramphenicol, 12, 16, 21, 24, 30
- Chlorhexidine, 7, 20, 23, 26, 27
- Chloroxylenol, 27
- Chlorphenamine, 11, 19, 23, 27
- Chlorpromazine, 18, 21
- Chlortetracycline, 21, 24
- Cholera vaccine, 15
- Chorhexidine, 27
- Chorionic gonadotropin, 31
- Ciclosporin (cyclosporin, 6
- Cimetidine, 13
- Cinnarizine, 31
- Ciprofloxacin, 4
- Cisplatin, 6
- Clarithromycin, 4, 14

Clindamycin, 4, 20
Clinical Thermometer 24, 26
Clobetasol, 31
Clofazimine, 4, 19, 30
Clomiphene, 15
Clomipramine, 18
Clonazepam, 2
Clotrimazole, 9, 28
Cloxacillin, 4
Coal tar, 10, 28
Cod liver oil, 28
Condoms, 26, 27
Copper, 14
Co-trimoxazole, 4, 23
Cotton wool, 21, 24, 28, 30
Cotton wool (absorbent), 21, 24
Cotton wool / crepe bandages, 26
Cotton/crepe bandages, 28
Crotamiton, 31
Cyanocobalamin (vitamin B₁₂), 18
Cyclizine, 31
Cyclophosphamide, 7
Cycloserine (Cs), 30
Cytarabine, 7
Dacabazine (DTIC), 7
Danazol, 31
Dapsone, 4, 19
Dobutamine , 31
Darrow's solution, 17
Daunorubicin, 7
Degarelix, 30
Dequalinium hydrochloride, 28
Desferoxamine, 2
Desmopressin, 32
Dexamethasone, 7, 11, 14
Dextran 70, 8
Dextromethorphan hydrobromide, 10
Diazepam, 1, 2, 17, 19, 23
Dichloroxylenol + chlorophenol, 7, 27
Diclofenac, 2
Didanosine (ddI), 6
Diethylcarbamazine, 20
Diethylcarbarmazine, 30
Diethylcarbarmazine*, 4
Digoxin, 8
Dihydrocodeine, 1
Diloxanide, 30
Diltiazem, 8
Dimercaprol, 3
Diphenhydramine preparations, 27
Diphenoxylate, 13
Diphtheria + pertussis + tetanus vaccine, 21
Dipivefrin, 32
Disposable gloves, 21, 24
Disposable syringes, 21, 24
Dithranol, 10

Docetaxel, 30

Domiphen bromide, 28

Dopamine, 31

Doxepin, 31

Doxorubicin, 7

Doxycycline, 4

Dusting powder, 28

Edrophonium, 32

Efavirenz (EFV or EFZ, 5

Eflornithine, 5, 30

Elastic plaster dressings, 28

Enoxaparin sodium, 11

Ephedrine, 12

Epimestrol, 31

Epinephrine (adrenaline, 10, 11

Epinephrine (Adrenaline, 19, 23

Epirubicin, 7

Ergocalciferol, 18

Ergometrine, 17, 21, 24

Ergotamine, 6

Erythromycin, 4, 19

Erythropoietin, 7, 11

Etanercept, 30

Ethambutol, 5, 20

Ethinylestradiol, 14

Ethinylestradiol + levonorgestrel, 14

Ethinylestradiol + norethisterone, 14

Ethionamide (Eto), 30

Ethosuximide, 2

Etonogestrel releasing implant, 14

Etoposide(VP-16), 7

Eusol, 8

Fentanyl, 1

Ferric ammonium citrate, 11, 27

Ferrous fumarate, 14

Ferrous gluconate, 11

Ferrous salts, 20, 24, 26, 27

Ferrous sulphate, 11

Finasteride, 32

Flucloxacillin, 4

Fluconazole, 6

Fludarabine, 7

Fludrocortisone, 31

Flumazenil, 3

Flumetasone + clioquinol, 12

Fluocinolone, 31

Fluorescein, 16, 17

Fluorouracil, 7

Fluoxetine, 18

Fluphenazine, 18

Flutamide, 30

Foaming tablets, 27

Folic acid, 11, 18, 20, 22, 24, 25, 26, 28, 29, 32

Follicle-stimulating hormone (FSH) +
luteinizing hormone (LH), 31

Formaldehyde, 7

Furosemide, 9, 10
Gas-gangrene antitoxin, 15
Gatifloxacin Gfx, 30
Gentamicin, 4, 9, 12, 16, 19, 20, 24
Gentian violet, 9, 27
Gentian violet (Methyrosanilinium chloride),
9
Glibenclamide, 14
Gliclazide, 15
Glimepiride, 14
Glucose, 17, 28
Glucose + sodium chloride, 17
Glutaraldehyde, 7
Glycerol + sodium bicarbonate, 12
Glyceryl trinitrate, 8
Goserelin, 30
Haloperidol, 18
Halothane, 1
Heparin sodium, 11
Hepatitis B vaccine, 15
Hexetidine, 9, 28
Histamine phosphate, 32
Homatropine, 16
Human albumin, 8
Hydralazine, 8
Hydrochlorothiazide, 10, 19, 23
Hydrochlorothiazide/amiloride, 20
Hydrocortisone, 9, 11, 14, 21
Hydrocortisone acetate with or without, 13
Hydromorphone, 32
Hydroxocobalamine, 11
Hydroxychloroquine, 5, 30
Hydroxycobalamin, 18
Hydroxyurea, 7
Hyoscine N-butylbromide
Ibuprofen, 2, 19, 23, 27
Idoxuridine, 5, 16
Ifosfamide, 7
Imipenem/Cilastatin (Ipm/Cln), 30
Indinavir (IDV), 6
Insulin glargine, 14
Insulin, soluble, 14
Interperitoneal dialysis solution, 10
Iodine, 7, 14, 20, 23
Iodine + potassium iodide, 14
Ipratropium bromide, 10
Iron dextran, 31
Isoflurane, 1
Isoniazid, 5, 20
Isosorbide dinitrate, 8
Ivermectin, 3, 4, 20
Kanamycin (Km), 30
Ketamine, 1
Ketoprofen, 2
Ketotifen, 31, 32
Labetalol, 8
Lactulose, 13

- Lamivudine (3TC), 6
- Lamivudine + nevirapine + stavudine, 6
- Lamivudine + nevirapine+ zidovudine, 6
- Lamivudine + zidovudine, 6
- Leflunomide, 30
- Leuprolide, 31
- Levamisole, 27
- Levodopa + carbidopa, 12
- Levofloxacin (Lfx), 30
- Levofloxacin*, 4
- Levonorgestrel, 14
- Levonorgestrel-releasing implant, 14
- Levothyroxine, 15
- Lidocaine, 1, 8, 9, 19, 23
- Linezolid (Lzd), 30
- Liothyronine, 15
- Lippe's loop, 14
- Liquid paraffin, 13
- Lisinopril, 8
- Lithium carbonate, 32
- Loperamide, 13
- Lopinavir + ritonavir(LPV/r), 6
- Loratidine, 12
- Losartan, 8
- Low osmolarity oral rehydration salts, 27
- Low osmolarity oral rehydration salts, 26
- lumefantrine, 5, 20, 23, 26, 27
- Luteinizing hormone-releasing hormone (LH-RH), 32
- Magnesium hydroxide, 28
- Magnesium sulphate, 2, 28
- magnesium trisilicate, 12
- Magnesium trisilicate, 12, 21, 24, 27
- Mannitol, 17
- Measles vaccine, 15, 21
- Mebendazole, 3, 23, 27
- Mechlorethamine, 31
- Medroxyprogesterone acetate, 14
- Mefloquine, 5, 30
- Meglumine antimonate, 5
- Melarsoprol, 5
- Melphalan, 7
- Meningococcal vaccine, 15
- Menthol + ascorbic acid + hydrous citric acid, 28
- Menthol + eucalyptus oil + camphor + thymol, 28
- 6-Mercaptopurine, 7
- Mesna, 7
- Mesterolone, 31
- Metformin, 14
- Methadone, 18, 32
- Methionine, 3
- Methotrexate, 7
- Methyl salicylate, 10, 20, 24, 26, 28
- Methylated spirit, 7, 20, 24, 26, 27
- Methylcellulose, 17
- Methyldopa, 8

Methylprednisolone, 31
8-Methylpsoralen, 31
Metoclopramide, 12
Metoprolol, 9
Metronidazole, 3, 4, 19, 23
Metyrapone, 32
Miconazole, 6, 9, 16
Midazolam, 1
Mifepristone, 32
Misoprostol, 17, 21, 24, 32
Mitoxantrone, 7
Monosulfiram, 28
Morphine, 1, 2
Moxifloxacin (Mfx), 30
Multivitamins, 28
N-Acetylcysteine, 3
Naloxone, 2, 3
Naltrexone, 18, 32
Naltrexone*, 18
Naproxen, 2
Neomycin, 9, 20
Neostigmine, 1, 11
Nevirapine (NVP), 6
Nicotinamide, 29
Nifedipine, 8, 20
Nifortimox, 5, 30
Nimodipine, 8
Nitrofurantoin, 4, 19
Nitrous oxide, 1
Norethisterone, 14
Norethisterone enantate, 14
Normal immunoglobulin, 15
Nystatin, 6, 9, 20
Octreotide, 15, 32
Ofloxacin, 30, 32
Olopatadine, 32
Omeprazole, 13
Ondansetron, 7
Oral contraceptives, 21
Oral rehydration salts, 13
Oral Rehydration Salts, 13, 17, 21, 24, 26, 27
Oxycodone, 32
Oxygen, 1
Oxytetracycline + polymyxin B, 16
Oxytocin, 17
Oxytocin, 21, 24
Paclitaxel, 7
P-aminosalicylic acid (PAS), 30
Pantothenic acid, 29
Paracetamol, 2, 19, 23, 26, 27
Paraldehyde, 19, 23
Pegylated Interferonalpha-2b, 31
Pengastrin, 32
Pentamidine, 5
Pentavalent vaccine, 15
Pentazocine, 2

Permethrin, 10

Pethidine, 2

Phenobarbital, 2, 19, 23

Phenoxymethylpenicillin, 4, 19

Phenylephrine, 16

Phenytoin sodium, 2

Phytomenadione (vitamin K₁), 3

Pilocarpine, 16

Pimozide, 32

Plastic aprons, 26

Podophyllum resin, 10

Poliomyelitis vaccine, 21

Poliomyelitis vaccines (Live attenuated), 15

Polygeline, 8

Potassium chloride, 17

Potassium ferric Hexacyanoferrate (II) (Prussian blue), 3

Potassium permanganate, 7

Povidone iodine, 7, 26, 27

Praziquantel, 3, 5, 22

Prednisolone, 7, 14, 16

Pregabalin, 2

Prilocaine, 31

Procainamide, 8

Procarbazine, 7

Prochlorperazine, 13

Proguanil, 5, 30

Promethazine, 1, 12, 13, 19, 22

Propofol, 1

Propranolol, 6, 8

Propranolol*, 6

Propylthiouracil, 15

Protamine sulfate, 3

Prothionamide (Pto), 30

Pseudoephedrine hydrochloride, 12

Pyrantel, 20

Pyrazinamide, 5, 20

Pyridostigmine, 11

Pyridoxine (vitamin B₆), 18

Pyrimethamine, 5, 20, 23, 27

Pyrimethamine + sulfadoxine, 5, 20, 23

Quinine, 5, 20

Rabies immunoglobulin, 15, 21

Rabies vaccine (inactivated), 15

Ranitidine, 13

Rapid Diagnostic Tests, 20, 24

Reserpine + dihydroergocristine + clopamide, 8

Retinol (vitamin A), 18

Ribavirin, 31

Riboflavine (vitamin B₂), 18

Rifabutin, 5, 20

Rifampicin, 5, 20

Ringer's solution, 17

Risperidone, 18

Rituximab, 30

Salbutamol, 10, 17, 21, 25

Salbutamol*, 10

Salicylic acid, 9, 26, 28

Salmeterol, 10

Selenium sulfide, 28

Senna, 13, 21, 24, 28

Sildenafil, 32

Silver nitrate, 12

Silver sulfadiazine, 9

Silver sulphadiazine, 27

Sodium calcium edetate, 3

Sodium chloride, 17

Sodium fluoride, 18

Sodium hydrogen carbonate, 17

Sodium hypochlorite, 7, 20, 24, 27

Sodium lactate, 17

Sodium nitrite, 3

Sodium stibogluconate, 5

Sodium thiosulfate, 3

Sodium valproate, 2

Spatulas, 22, 25

Spironolactone, 10

Stilboestrol, 7, 31

Streptokinase, 11

Streptomycin (S), 30

Sulfasalazine, 30

Sulfipyrazone, 30

Sulphadoxine + pyrimethamine, 27

Sumatriptan, 6

Suramin, 5

Surgical Blades, 26

Suxamethonium, 1

Tacrolimus, 31

Tamoxifen, 7

Tazarotene, 31

Terbinafine, 31

Terizidone (Trd), 30

Testosterone, 31

Tetanus vaccine, 15, 21, 24

Tetanus vaccine (Tetanus toxoid), 15

Tetracaine* (amethocaine), 16

Tetracosactide, 32

Tetracycline, 4, 19

Thiacetazone (Th), 30

Thiamine (Vitamin B₁), 18

6-thioguanine, 7

Thyrotropin releasing hormone (TRH), 32

Timolol, 16

Tinidazole, 3, 4

Titanium dioxide, 31

Tramadol, 2

Tretinoin, 31

Triamcinolone, 9, 32

Trichlorophenol, 7

Triiodothyronine, 31

Tropicamide, 16

Tuberculin, 20

Typhoid vaccine (TAB), 15

Typhoid vaccine (Vi antigen), 15
Urea, 10
Valproic acid (sodium valproate), 18
Valsartan, 8
Vancomycin, 4
Vasopressin, 32
Verapamil, 8
Vidagliptin, 14
Vinblastine, 7
Vincristine, 7
Vitamin A, 22, 25, 29
Vitamin B complex, 28
Vitamin B Complex*, 18
Vitamin B₁ (thiamine), 29
Vitamin B₁₂ (cyanocobalamin), 29

Vitamin B₂ (riboflavin), 29
Vitamin B₆, 29
Vitamin C (ascorbic acid), 29
Vitamin D (cholecalciferol), 29
Vitamin E, 29
Warfarin sodium, 11
Water for injection, 17, 22, 25
Yellow fever vaccine, 15
Zidovudine (ZDV), 6
Zinc, 9, 13, 20, 21, 24, 26, 27
Zinc chloride + zinc sulfate, 9
Zinc oxide, 20, 24, 26
Zinc Sulphate, 13
Zolendronic acid, 31